Index of Authors

ÅKESSON, B. *see* SUNDLER, R. 309–315
ALBERTI, K. G. M. M. *see* BLACKSHEAR, P. J. 447–456
ALETTI, M. G. *see* RAGNOTTI, G. 1–12, 13–15
ANDERSON, M. *see* BRUMBY, P. E. 609–615
ANTHONY, C. The microbial metabolism of C_1 compounds. The cytochromes of *Pseudomonas* AM1 289–298
ARNSTEIN, H. R. V. *see* DENTON, M. J. 205–211
ASHBY, P. & CAMPBELL, P. N. The ribonucleic acids of the mammary gland of the guinea pig 575–583
AXCELL, B. C. & GEARY, P. J. Purification and some properties of a soluble benzene-oxidizing system from a strain of *Pseudomonas* 173–183

BACCINO, F. M. & ZURETTI, M. F. Structural equivalents of latency for lysosome hydrolases 97–108
BALLARD, F. J. *see* KNOWLES, S. E. 585–593, 595–600
BARBIROLI, B., TADOLINI, B., MORUZZI, M. S. & MONTI, M. G. Modification of the template capacity of liver chromatin for form-B ribonucleic acid polymerase by food intake in rats under controlled feeding schedules 687–696
BARBIROLI, B. *see also* MORUZZI, G. 697–703
BARKER, D. M. *see* WHEELER, K. P. 713–722
BASHFORD, C. L., HARRISON, S. J., RADDA, G. K. & MEHDI, Q. The relation between lipid mobility and the specific hormone binding of thyroid membranes 473–479
BAULIEU, E. E. *see* MEŠTER, J. 617–623
BERGER, M., HAGG, S. & RUDERMAN, N. B. Glucose metabolism in perfused skeletal muscle. Interaction of insulin and exercise on glucose uptake 231–238
BERTOLI, E. *see* WATSON, K. 401–407, 409–416
BLACKSHEAR, P. J., HOLLOWAY, P. A. H. & ALBERTI, K. G. M. M. Metabolic interactions of dichloroacetate and insulin in experimental diabetic ketoacidosis. Studies on whole animals and after functional hepatectomy 447–456
BRAY, R. C. *see* GRAY, T. A. 239–246
BROAD, T. E. & DAWSON, R. M. C. Phospholipid biosynthesis in the anaerobic protozoon *Entodinium caudatum* 317–328
BRUCE-ROBERTSON, A. *see* JEEJEEBHOY, K. N. 141–155
BRUMBY, P. E., ANDERSON, M., TUCKLEY, B., STORRY, J. E. & HIBBITT, K. G. Lipid metabolism in the cow during starvation-induced ketosis 609–615
BUTLIN, J. D. *see* ROSENBERG, H. 417–423
BYGRAVE, F. L., DADAY, A. A. & DOY, F. A. Evidence for a calcium-ion-transport system in mitochondria isolated from flight muscle of the developing sheep blowfly *Lucilia cuprina* 601–608

CAIN, R. B. *see* WATSON, G. K. 157–172
CAMPBELL, P. N. *see* ASHBY, P. 575–583
CAPANO, M. *see* CROMPTON, M. 667–673
CAYGILL, C. P. J. *see* GIASUDDIN, A. S. M. 339–350
CHAE, C.-B., SMITH, M. C. & MORRIS, H. P. Lack of relationship between activity of chromatin-bound proteinase and cell growth rates 281–283
CHANCE, B. *see* OSHINO, N. 53–65, 67–77
CHAPPELL, J. B. *see* MENDES-MOURÃO, J. 457–464
CHUNG, A. *see* RYAN, J. W. 497–499
CIPOLLINI, T. L. *see* RAGNOTTI, G. 13–15
CLIFTON, G. *see* KAPLOWITZ, N. 351–356
COCKBURN, M., EARNSHAW, P. & EDDY, A. A. The stoicheiometry of the absorption of protons with phosphate and L-glutamate by yeasts of the genus *Saccharomyces* 705–712
COPELAND, E. S. *see* HARDING, J. W., JR. 223–229
COX, G. B. *see* ROSENBERG, H. 417–423
COXON, R. V. *see* PHILLIPS, M, E. 185–189
CROMPTON, M., PALMIERI, F., CAPANO, M. & QUAGLIARIELLO, E. A kinetic study of sulphate transport in rat liver mitochondria 667–673
CRUMPTON, M. J. *see* MAINO, V. C. 247–252
CRYER, A., DAVIES, P., WILLIAMS, E. R. & ROBINSON, D. S. The clearing-factor lipase activity of isolated fat-cells 481–488
CUNNINGHAM, V. J., HAY, L. & STONER, H. B. The binding of L-tryptophan to serum albumins in the presence of non-esterified fatty acids 653–658
CUNNINGHAM, V. J. *see also* STONER, H. B. 659–666

DADAY, A. A. *see* BYGRAVE, F. L. 601–608
DAS, M. & RADHAKRISHNAN, A. N. Studies on a wide-spectrum intestinal dipeptide uptake system in the monkey and in the human 133–139
DAVIES, P. *see* CRYER, A. 481–488
DAWSON, R. M. C. *see* BROAD, T. E. 317–328
DE MATTEIS, F. & GIBBS, A. H. Stimulation of the pathway of porphyrin synthesis in the liver of rats and mice by griseofulvin, 3,5-diethoxycarbonyl-1,4-dihydrocollidine and related drugs. Evidence for two basically different mechanisms 285–287
DEAN, M. F. & MUIR, H. Separation of a proteoglycan fraction from Kurloff cells stimulating protein synthesis in macrophages 557–563
DENTON, M. J., SPENCER, N. & ARNSTEIN, H. R. V. Biochemical and enzymic changes during erythrocyte differentiation. The significance of the final cell division 205–211
DESSEV, G. N. *see* MARKOV, G. G. 41–51
DIPLOCK, A. T. *see* GIASUDDIN, A. S. M. 339–350
DORER, F. E. *see* RYAN, J. W. 497–499
DOY, F. A. *see* BYGRAVE, F. L. 601–608

EARNSHAW, P. *see* COCKBURN, M. 705–712
EDDY, A. A. *see* COCKBURN, M. 705–712
ELING, T. E. *see* PARKES, D. G. 549–556
ELKIN, A. R. & KUHN, N. J. Aerobic lactate production by mammary tissue 273–275
ELLINGTON, E. V. *see* WILLIAMSON, D. H. 277–279
ELLIOTT, D. C. & MURRAY, A. W. Evidence against an involvement of cyclic nucleotides in the induction of betacyanin synthesis by cytokinins 333–337
ELLIS, R. J. *see* SIDDELL, S. G. 675–685
ELSON, P. M. *see* STONER, H. B. 659–666
EVANS, C. J. *see* SAGGERSON, E. D. 329–332
EVANS, W. H. *see* WISHER, M. H. 375–388

FÓNAGY, A. & HIDVÉGI, E. J. Increased synthesis of low-molecular-weight nuclear ribonucleic acids of rat liver after gamma irradiation and hepatectomy 357–360

FRAGOULIS, E. G. & SEKERIS, C. E. Induction of dopa (3,4-dihydroxyphenylalanine) decarboxylase in blowfly integument by ecdysone. A demonstration of synthesis of the enzyme *de novo* 121–126
FREILICH, L. S., RICHMOND, M. E., REPPUCCI, A. C., JR. & SILBERT, J. E. A micro method for simultaneous determination of galactosyltransferase and 5′-nucleotidase activities in cell fractions 741–743

GAMBLE, M. *see* QUINN, P. S. 389–393
GANGULY, J. *see* JAYARAM, M. 501–504
GARLAND, P. B. *see* GRAY, T. A. 239–246
GEARY, P. J. *see* AXCELL, B. C. 173–183
GIASUDDIN, A. S. M., CAYGILL, C. P. J., DIPLOCK, A. T. & JEFFERY, E. H. The dependence on vitamin E and selenium of drug demethylation in rat liver microsomal fractions 339–350
GIBBS, A. H. *see* DE MATTEIS, F. 285–287
GOAD, L. J. *see* SMITH, A. G. 25–33, 35–40
GONZÁLEZ-CADAVID, N. F. & PÉREZ, J. L. Electrophoretic and centrifugation behaviour of mitochondrial ribonucleic acid from Walker 256 carcinosarcoma 361–373
GRAY, T. A., GARLAND, P. B., LOWE, D. J. & BRAY, R. C. Electron-paramagnetic-resonance spectroscopy studies of iron–sulphur centres of submitochondrial particles from iron- and sulphur-deficient *Candida utilis* 239–246
GREENBERG, G. R. *see* JEEJEEBHOY, K. N. 141–155
GRIFFITHS, D. E. *see* WATSON, K. 401–407, 409–416
GRIFFITHS, W. T. Some observations on chlorophyll(ide) synthesis by isolated etioplasts 17–24
GUNN, J. M. *see* KNOWLES, S. E. 585–593, 595–600
GUTOWSKI, S. J. *see* ROSENBERG, H. 417–423

HAGG, S. *see* BERGER, M. 231–238
HALES, C. N. *see* NEWBY, A. C. 625–633
HANSFORD, R. G. The control of tricarboxylate-cycle oxidations in blowfly flight muscle. The oxidized and reduced nicotinamide–adenine dinucleotide content of flight muscle and isolated mitochondria, the adenosine triphosphate and adenosine diphosphate content of mitochondria, and the energy status of the mitochondria during controlled respiration 537–547
HANSFORD, R. G. *see also* JOHNSON, R. N. 527–535
HANSON, R. W. *see* KNOWLES, S. E. 585–593, 595–600
HARDING, J. W., JR., PYERITZ, E. A., COPELAND, E. S. & WHITE, H. B., III. Role of glycerol 3-phosphate dehydrogenase in glyceride metabolism. Effect of diet on enzyme activities in chicken liver 223–229
HARRIS, G. *see* OLSEN, I. 489–496
HARRISON, S. J. *see* BASHFORD, C. L. 473–479
HAY, L. *see* CUNNINGHAM, V. J. 653–658
HAYMAN, M. J. *see* MAINO, V. C. 247–252
HIBBITT, K. G. *see* BRUMBY, P. E. 609–615
HIDVÉGI, E. J. *see* FÓNAGY, A. 357–360
HO, J. *see* JEEJEEBHOY, K. N. 141–155
HOLLOWAY, P. A. H. *see* BLACKSHEAR, P. J. 447–456
HOUGHTON, R. L. *see* WATSON, K. 409–416
HUNT, A. *see* STONER, H. B. 659–666

JAMIESON, D. *see* OSHINO, N. 53–65, 67–77
JAYARAM, M., SARADA, K. & GANGULY, J. Effect of depletion of vitamin A, followed by supplementation with retinyl acetate or retinoic acid, on regeneration of rat liver 501–504
JEEJEEBHOY, K. N., HO, J., GREENBERG, G. R., PHILLIPS, M. J., BRUCE-ROBERTSON, A. & SODTKE, U. Albumin, fibrinogen and transferrin synthesis in isolated rat hepatocyte suspensions. A model for the study of plasma protein synthesis 141–155
JEFFERY, E. H. *see* GIASUDDIN, A. S. M. 339–350
JOHNSON, R. N. & HANSFORD, R. G. The control of tricarboxylate-cycle oxidations in blowfly flight muscle. The steady-state concentrations of citrate, isocitrate, 2-oxoglutarate and malate in flight muscle and isolated mitochondria 527–535
JUDAH, J. D. *see* QUINN, P. S. 389–393

KAKIUCHI, S., YAMAZAKI, R., TESHIMA, Y., UENISHI, K. & MIYAMOTO, E. Multiple cyclic nucleotide phosphodiesterase activities from rat tissues and occurrence of a calcium-plus-magnesium-ion-dependent phosphodiesterase and its protein activator 109–120
KAPLOWITZ, N., KUHLENKAMP, J. & CLIFTON, G. Drug induction of hepatic glutathione *S*-transferases in male and female rats 351–356
KEKWICK, R. G. O. *see* WEAIRE, P. J. 425–437, 439–445
KHALKHALI, Z. & MARSHALL, R. D. Glycosylation of ribonuclease A catalysed by rabbit liver extracts 299–307
KING, C. A. *see* VAN HEYNINGEN, S. 269–271
KNOWLES, S. E., GUNN, J. M., HANSON, R. W. & BALLARD, F. J. Increased degradation rates of protein synthesized in hepatoma cells in the presence of amino acid analogues 595–600
KNOWLES, S. E., GUNN, J. M., RESHEF, L., HANSON, R. W. & BALLARD, F. J. Properties of phosphoenolpyruvate carboxykinase (guanosine triphosphate) synthesized in hepatoma cells in the presence of amino acid analogues 585–593
KUHLENKAMP, J. *see* KAPLOWITZ, N. 351–356
KUHN, N. J. *see* ELKIN, A. R. 273–275
KULONEN, E. *see* LEHTINEN, P. 565–573

LABUC, J. E. *see* MADSEN, N. P. 505–507
LEHTINEN, P., VUORIO, E. & KULONEN, E. Plasma membranes from experimental granulation tissue 565–573
LIANG, C. C. Metabolic changes in rats during developing thiamin deficiency 739–740
LOWE, D. J. *see* GRAY, T. A. 239–246
LUZIO, J. P. *see* NEWBY, A. C. 625–633

MADSEN, N. P. & LABUC, J. E. Incorporation of L-[1-^{14}C]-leucine into protein by liver postmitochondrial supernatant: opposing effects of preincubated nicotinamide-adenine dinucleotide phosphate and 4-dimethylamino-3′-methylazobenzene 505–507
MAINO, V. C., HAYMAN, M. J. & CRUMPTON, M. J. Relationship between enhanced turnover of phosphatidylinositol and lymphocyte activation by mitogens 247–252
MARKOV, G. G., DESSEV, G. N., RUSSEV, G. C. & TSANEV, R. G. Effects of γ-irradiation on biosynthesis of different types of ribonucleic acids in normal and regenerating rat liver 41–51
MARSHALL, R. D. *see* KHALKHALI, Z. 299–307
MATTIOLI, A. *see* MONTANARO, L. 127–131
MCGIVAN, J. D. *see* MENDES-MOURÃO, J. 457–464
MCLAUGHLIN, C. M. *see* SHIRES, T. K. 513–526

MEHDI, Q. *see* BASHFORD, C. L. 473–479
MENDES-MOURÃO, J., MCGIVAN, J. D. & CHAPPELL, J. B. The effects of L-leucine on the synthesis of urea, glutamate and glutamine by isolated rat liver cells 457–464
MEŠTER, J. & BAULIEU, E. E. Dynamics of oestrogen-receptor distribution between the cytosol and nuclear fractions of immature rat uterus after oestradiol administration 617–623
MIYAMOTO, E. *see* KAKIUCHI, S. 109–120
MONTANARO, L., SPERTI, S., MATTIOLI, A., TESTONI, G. & STIRPE, F. Inhibition by ricin of protein synthesis *in vitro*. Inhibition of the binding of elongation factor 2 and of adenosine diphosphate-ribosylated elongation factor 2 to ribosomes 127–131
MONTI, M. G. *see* BARBIROLI, B. 687–696
MORRIS, H. P. *see* CHAE, C.-B. 281–283
MORUZZI, G., BARBIROLI, B., MORUZZI, M. S. & TADOLINI, B. The effect of spermine on transcription of mammalian chromatin by mammalian deoxyribonucleic acid-dependent ribonucleic acid polymerase 697–703
MORUZZI, M. S. *see* BARBIROLI, B. 687–696; MORUZZI, G. 697–703
MUIR, H. *see* DEAN, M. F. 557–563
MURRAY, A. W. *see* ELLIOTT, D. C. 333–337

NEWBY, A. C., LUZIO, J. P. & HALES, C. N. The properties and extracellular location of 5′-nucleotidase of the rat fat-cell plasma membrane 625–633
NWAGWU, M. Transfer of serine into polypeptides and myosin by chromatographic species of seryl-transfer ribonucleic acid 395–400

OLSEN, I. & HARRIS, G. Thymidine kinase of mouse spleen cells *in vivo* and *in vitro* 489–496
OSHINO, N., JAMIESON, D. & CHANCE, B. The properties of hydrogen peroxide production under hyperoxic and hypoxic conditions of perfused rat liver 53–65
OSHINO, N., JAMIESON, D., SUGANO, T. & CHANCE, B. Optical measurement of the catalase–hydrogen peroxide intermediate (Compound I) in the liver of anaesthetized rats and its implication to hydrogen peroxide production *in situ* 67–77

PALMIERI, F. *see* CROMPTON, M. 667–673
PARKES, D. G. & ELING, T. E. The influence of environmental agents on prostaglandin biosynthesis and metabolism in the lung. Inhibition of lung 15-hydroxyprostaglandin dehydrogenase by exposure of guinea pigs to 100 per cent oxygen at atmospheric pressure 549–556
PERCY-ROBB, I. W. *see* STRANGE, R. C. 509–512
PÉREZ, J. L. *see* GONZÁLEZ-CADAVID, N. F. 361–373
PHILLIPS, M. E. & COXON, R. V. Incorporation of isotopic carbon into cerebral glycogen from non-glucose substrates 185–189
PHILLIPS, M. J. *see* JEEJEEBHOY, K. N. 141–155
PITOT, H. C. *see* SHIRES, T. K. 513–526
PODOLSKY, D. K. & WEISER, M. M. Role of cell membrane galactosyltransferase in concanavalin A agglutination of erythrocytes 213–221
PYERITZ, E. A. *see* HARDING, J. W., JR. 223–229

QUAGLIARIELLO, E. *see* CROMPTON, M. 667–673
QUINN, P. S., GAMBLE, M. & JUDAH, J. D. Biosynthesis of serum albumin in rat liver. Isolation and probable structure of 'proalbumin' from rat liver 389–393

RADDA, G. K. *see* BASHFORD, C. L. 473–479
RADHAKRISHNAN, A. N. *see* DAS, M. 133–139
RAGNOTTI, G. & ALETTI, M. G. The effect of phenobarbitone on protein synthesis by liver polyribosomes in fed and starved rats 1–12
RAGNOTTI, G., ALETTI, M. G. & CIPOLLINI, T. L. Lack of influence of the membranes of the endoplasmic reticulum on the capacity for protein synthesis of the rat liver polyribosomes 13–15
REPPUCCI, A. C., JR. *see* FREILICH, L. S. 741–743
RESHEF, L. *see* KNOWLES, S. E. 585–593
RICHMOND, M. E. *see* FREILICH, L. S. 741–743
ROBINSON, D. S. *see* CRYER, A. 481–488
ROSENBERG, H., COX, G. B., BUTLIN, J. D. & GUTOWSKI, S. J. Metabolite transport in mutants of *Escherichia coli* K12 defective in electron transport and coupled phosphorylation 417–423
RUDERMAN, N. B. *see* BERGER, M. 231–238
RUSSEV, G. C. *see* MARKOV, G. G. 41–51
RYAN, J. W., RYAN, U. S., SCHULTZ, D. R., WHITAKER, C., CHUNG, A. & DORER, F. E. Subcellular localization of pulmonary angiotensin-converting enzyme (kininase II) 497–499
RYAN, U. S. *see* RYAN, J. W. 497–499

SAGGERSON, E. D. & EVANS, C. J. The activities and intracellular distribution of nicotinamide–adenine dinucleotide phosphate–malate dehydrogenase, phosphoenolpyruvate carboxykinase and pyruvate carboxylase in rat, guinea-pig and rabbit tissues 329–332
SARADA, K. *see* JAYARAM, M. 501–504
SCHULTZ, D. R. *see* RYAN, J. W. 497–499
SEKERIS, C. E. *see* FRAGOULIS, E. G. 121–126
SHIRES, T. K., MCLAUGHLIN, C. M. & PITOT, H. C. The selectivity and stoicheiometry of membrane binding sites for polyribosomes, ribosomes and ribosomal subunits *in vitro* 513–526
SIDDELL, S. G. & ELLIS, R. J. Protein synthesis in chloroplasts. Characteristics and products of protein synthesis *in vitro* in etioplasts and developing chloroplasts from pea leaves 675–685
SILBERT, J. E. *see* FREILICH, L. S. 741–743
SKILLETER, D. N. The decrease of mitochondrial substrate uptake caused by trialkyltin and trialkyl-lead compounds in chloride media and its relevance to inhibition of oxidative phosphorylation 465–471
SMITH, A. G. & GOAD, L. J. Sterol biosynthesis in the echinoderm *Asterias rubens* 25–33
SMITH, A. G. & GOAD, L. J. The conversion of cholest-5-en-3β-ol into cholest-7-en-3β-ol by the echinoderms *Asterias rubens* and *Solaster papposus* 35–40
SMITH, M. C. *see* CHAE, C.-B. 281–283
SODTKE, U. *see* JEEJEEBHOY, K. N. 141–155
SPENCER, N. *see* DENTON, M. J. 205–211
SPERTI, S. *see* MONTANARO, L. 127–131
STIRPE, F. *see* MONTANARO, L. 127–131
STONER, H. B., CUNNINGHAM, V. J., ELSON, P. M. & HUNT, A. The effects of diet, lipolysis and limb ischaemia on the distribution of plasma tryptophan in the rat 659–666

STONER, H. B. *see also* CUNNINGHAM, V. J. 653–658
STORRY, J. E. *see* BRUMBY, P. E. 609–615
STRANGE, R. C. & PERCY-ROBB, I. W. Hepatic clearance of adenosine 3′:5′-cyclic monophosphate from plasma in the rat 509–512
SUGANO, T. *see* OSHINO, N. 67–77
SUNDLER, R. & ÅKESSON, B. Biosynthesis of phosphatidylethanolamines and phosphatidylcholines from ethanolamine and choline in rat liver 309–315
SUZUKI, T. & TAKAHASHI, E. Biosynthesis of caffeine by tea-leaf extracts. Enzymic formation of theobromine from 7-methylxanthine and of caffeine from theobromine 87–96
SUZUKI, T. & TAKAHASHI, E. Metabolism of xanthine and hypoxanthine in the tea plant (*Thea sinensis L.*) 79–85

TADOLINI, B. *see* BARBIROLI, B. 687–696; MORUZZI, G. 697–703
TAIT, G. H. The identification and biosynthesis of siderochromes formed by *Micrococcus denitrificans* 191–204
TAKAHASHI, E. *see* SUZUKI, T. 79–85, 87–96
TESHIMA, Y. *see* KAKIUCHI, S. 109–120
TESTONI, G. *see* MONTANARO, L. 127–131
THOMPSON, M. P. & WILLIAMSON, D. H. Metabolic interactions of glucose, acetoacetate and adrenaline in rat submaxillary gland *in vitro* 635–644
TSANEV, R. G. *see* MARKOV, G. G. 41–51
TUCKLEY, B. *see* BRUMBY, P. E. 609–615
TYNECKA, Z. & WARD, J. B. Peptidoglycan synthesis in *Bacillus licheniformis*. The inhibition of cross-linking by benzylpenicillin and cephaloridine *in vivo* accompanied by the formation of soluble peptidoglycan 253–267

UENISHI, K. *see* KAKIUCHI, S. 109–120

VAN HEYNINGEN, S. & KING, C. A. Subunit A from cholera toxin is an activator of adenylate cyclase in pigeon erythrocytes 269–271
VUORIO, E. *see* LEHTINEN, P. 565–573

WAECHTER, C. J. *see* WHITE, D. A. 645–651
WALKER, J. A. *see* WHEELER, K. P. 713–722, 723–727
WARD, J. B. *see* TYNECKA, Z. 253–267
WATSON, G. K. & CAIN, R. B. Microbial metabolism of the pyridine ring. Metabolic pathways of pyridine biodegradation by soil bacteria 157–172
WATSON, K., BERTOLI, E. & GRIFFITHS, D. E. Phase transitions in yeast mitochondrial membranes. The effect of temperature on the energies of activation of the respiratory enzymes of *Saccharomyces cerevisiae* 401–407
WATSON, K., HOUGHTON, R. L., BERTOLI, E. & GRIFFITHS, D. E. Membrane-lipid unsaturation and mitochondrial function in *Saccharomyces cerevisiae* 409–416
WEAIRE, P. J. & KEKWICK, R. G. O. The fractionation of the fatty acid synthetase activities of avocado mesocarp plastids 439–445
WEAIRE, P. J. & KEKWICK, R. G. O. The synthesis of fatty acids in avocado mesocarp and cauliflower bud tissue 425–437
WEISER, M. M. *see* PODOLSKY, D. K. 213–221
WHEELER, K. P. Role of phospholipid in the intermediate steps of the sodium-plus-potassium ion-dependent adenosine triphosphatase reaction 729–738
WHEELER, K. P. & WALKER, J. A. Differential effects of lipid depletion on membrane sodium-plus-potassium ion-dependent adenosine triphosphatase and potassium ion-dependent phosphatase 723–727
WHEELER, K. P., WALKER, J. A. & BARKER, D. M. Lipid requirement of the membrane sodium-plus-potassium ion-dependent adenosine triphosphatase system 713–722
WHITAKER, C. *see* RYAN, J. W. 497–499
WHITE, D. A. & WAECHTER, C. J. A mannosyl-carrier lipid of bovine adrenal medulla and rat parotid 645–651
WHITE, H. B., III *see* HARDING, J. W., JR. 223–229
WILLIAMS, E. R. *see* CRYER, A. 481–488
WILLIAMSON, D. H. & ELLINGTON, E. V. Hydroxypyruvate as a gluconeogenic substrate in rat hepatocytes 277–279
WILLIAMSON, D. H. *see also* THOMPSON, M. P. 635–664
WISHER, M. H. & EVANS, W. H. Functional polarity of the rat hepatocyte surface membrane. Isolation and characterization of plasma-membrane subfractions from the blood-sinusoidal, bile-canalicular and contiguous surfaces of the hepatocyte 375–388

YAMAZAKI, R. *see* KAKIUCHI, S. 109–120

ZURETTI, M. F. *see* BACCINO, F. M. 97–108

Index of Subjects

Acetate, incorporation of malonyl-coenzyme A and, into fatty acids by avocado mesocarp and cauliflower bud tissue (Weaire, P. J. & Kekwick, R. G. O.) 425–437

Acetoacetate, metabolic interactions of adrenaline, glucose and, in rat submaxillary gland *in vitro* (Thompson, M. P. & Williamson, D. H.) 635–644

Acetyl-coenzyme A, liver, rat, changes in the concentration of, and other metabolic parameters related to the mobilization of fat reserves during the development of thiamin deficiency (Liang, C. C.) 739–740

N-Acetylglucosamine, transfer of, from uridine diphosphate *N*-acetylglucosamine to ox pancreatic ribonuclease A catalysed by extracts of rabbit liver (Khalkhali, Z. & Marshall, R. D.) 299–307

N-Acetyl-*β*-glucosaminidase, lysosomal, liver, rat, structural equivalents of latency for the activities of, and other hydrolases (Baccino, F. M. & Zuretti, M. F.) 97–108

Acid phosphatase, *see* Phosphatase, acid

Adenosine 3′:5′-cyclic monophosphate, evidence against an involvement of, in the induction by cytokinins of the biosynthesis of betacyanin in *Amaranthus* sp. seedlings (Elliott, D. C. & Murray, A. W.) 333–337

Adenosine 3′:5′-cyclic monophosphate, hepatic clearance of, from plasma in the rat (Strange, R. C. & Percy-Robb, I. W.) 509–512

Adenosine 3′:5′-cyclic monophosphate, multiple activities of cyclic nucleotide phosphodiesterases hydrolysing guanosine 3′:5′-cyclic monophosphate and, in various rat tissues (Kakiuchi, S., Yamazaki, R., Teshima, Y., Uenishi, K. & Miyamoto, E.) 109–120

Adenosine deaminase, significance of the final cell division in the changes in the activities of, and other enzymes during the differentiation of rabbit erythrocytes (Denton, M. J., Spencer, N. & Arnstein, H. R. V.) 205–211

Adenosine diphosphate, concentrations of oxidized and reduced nicotinamide–adenine dinucleotide, adenosine triphosphate and, mitochondrial energy status during controlled respiration and the control of tricarboxylic acid-cycle oxidations in blowfly flight muscle and isolated mitochondria (Hansford, R. G.) 537–547

Adenosine monophosphate, properties and extracellular location of rat epididymal fat-cell plasma-membrane 5′-nucleotidase catalysing the hydrolysis of (Newby, A. C., Luzio, J. P. & Hales, C. N.) 625–633

Adenosine triphosphatase, sodium-plus-potassium ion-dependent, membrane, kidney, rabbit, differential effects of the depletion of lipids on the activities of, and potassium ion-dependent phosphatase (Wheeler, K. P. & Walker, J. A.) 723–727

Adenosine triphosphatase, sodium-plus-potassium ion-dependent, membrane, kidney, rabbit, requirement for lipids of (Wheeler, K. P., Walker, J. A. & Barker, D. M.) 713–722

Adenosine triphosphatase, sodium-plus-potassium ion-dependent, membrane, kidney, rabbit, role of phospholipids in the intermediate steps of the reaction catalysed by (Wheeler, K. P.) 729–738

Adenosine triphosphate, concentrations of oxidized and reduced nicotinamide–adenine dinucleotide, adenosine diphosphate and, mitochondrial energy status during controlled respiration and the control of tricarboxylic acid-cycle oxidations in blowfly flight muscle and isolated mitochondria (Hansford, R. G.) 537–547

Adenosine triphosphate, decrease in the concentration of, in rat submaxillary gland *in vitro* caused by the addition of adrenaline (Thompson, M. P. & Williamson, D. H.) 635–644

Adenylate cyclase, activities of, and other enzymes in subfractions of plasma membranes from the blood-sinusoidal, bile-canalicular and contiguous surfaces of rat hepatocytes (Wisher, M. H. & Evans, W. H.) 375–388

Adenylate cyclase, erythrocyte, pigeon, activation of, by subunit A of cholera toxin (van Heyningen, S. & King, C. A.) 269–271

Adenylate kinase, significance of the final cell division in the changes in the activities of, and other enzymes during the differentiation of rabbit erythrocytes (Denton, M. J., Spencer, N. & Arnstein, H. R. V.) 205–211

Adipocytes, epididymal, rat, isolated, activity of clearing-factor lipase of (Cryer, A., Davies, P., Williams, E. R. & Robinson, D. S.) 481–488

Adipocytes, epididymal, rat, properties and extracellular location of 5′-nucleotidase of the plasma membrane of (Newby, A. C., Luzio, J. P. & Hales, C. N.) 625–633

Adipose tissue, epididymal, rat, activity of clearing-factor lipase of fat-cells isolated from (Cryer, A., Davies, P., Williams, E. R. & Robinson, D. S.) 481–488

Adrenal-gland medulla, ox, characterization of a mannosyl-carrier lipid of rat parotid gland and (White, D. A. & Waechter, C. J.) 645–651

Adrenaline, metabolic interactions of glucose, acetoacetate and, in rat submaxillary gland *in vitro* (Thompson, M. P. & Williamson, D. H.) 635–644

Agglutinins, relationship between enhanced turnover of phosphatidylinositol and activation of pig lymphocyte by (Maino, V. C., Hayman, M. J. & Crumpton, M. J.) 247–252

Albumin, biosynthesis of fibrinogen, transferrin and, in suspensions of isolated rat hepatocytes as a model for the study of the biosynthesis of plasma proteins (Jeejeebhoy, K. N., Ho, J., Greenberg, G. R., Phillips, M. J., Bruce-Robertson, A. & Sodtke, U.) 141–155

Albumin, serum, rat, isolation and probable structure of proalbumin from rat liver as a precursor of (Quinn, P. S., Gamble, M. & Judah, J. D.) 389–393

Albumins, serum, ox, human and rat, binding of L-tryptophan to, in the presence of non-esterified fatty acids (Cunningham, V. J., Hay, L. & Stoner, H. B.) 653–658

Allantoic acid, formation of, and other products during the metabolism of xanthine and hypoxanthine by excised tea shoot tips (Suzuki, T. & Takahashi, E.) 79–85

Allantoin, formation of, and other products during the metabolism of xanthine and hypoxanthine by excised tea shoot tips (Suzuki, T. & Takahashi, E.) 79–85

Amaranthus sp. seedlings, evidence against an involvement of cyclic nucleotides in the induction by cytokinins of the biosynthesis of betacyanin in (Elliott, D. C. & Murray, A. W.) 333–337
5-Aminolaevulinate, studies on the incorporation of, into chlorophyllide by isolated barley-seedling etioplasts (Griffiths, W. T.) 17–24
Aminophylline, effects of, on phosphodiesterase activity, adenosine 3′:5′-cyclic monophosphate content and 6-benzyladenine metabolism in *Amaranthus* sp. seedlings (Elliott, D. C. & Murray, A. W.) 333–337
Aminopyrine demethylase, dependence on vitamin E and selenium of the activity of, of rat liver microsomal fractions (Giasuddin, A. S. M., Caygill, C. P. J., Diplock, A. T. & Jeffery, E. H.) 339–350
Angiotensin-converting enzyme, lung, pig, subcellular localization of (Ryan, J. W., Ryan, U. S., Schultz, D. R. Whitaker, C., Chung, A. & Dorer, F. E.) 497–499
Asterias rubens, *see* Starfish
Avocado (*Persea americana*) mesocarp, biosynthesis of fatty acids in (Weaire, P. J. & Kekwick, R. G. O.) 425–437
Avocado (*Persea americana*) mesocarp, fractionation of the fatty acid synthetase activities of plastids from (Weaire, P. J. & Kekwick, R. G. O.) 439–445

Bacillus licheniformis 94, inhibition of cross-linking by benzylpenicillin and cephaloridine *in vivo* accompanied by the formation of soluble peptidoglycan in (Tynecka, Z. & Ward, J. B.) 253–267
Bacillus sp., metabolic pathways for the degradation of pyridine by a *Nocardia* sp. and, isolated from soil (Watson, G. K. & Cain, R. B.) 157–172
Barley (*Hordeum vulgare*) seedlings, studies on the biosynthesis of chlorophyllide by etioplasts isolated from (Griffiths, W. T.) 17–24
cis-Benzene glycol (*cis*-1,2-dihydroxycyclohexa-3,5-diene), purification and properties of a soluble enzyme system catalysing the oxidation of benzene to, from a strain of *Pseudomonas putida* isolated from soil (Axcell, B. C. & Geary, P. J.) 173–183
Benzene, purification and properties of a soluble enzyme system catalysing the oxidation of, to *cis*-1,2-dihydroxycyclohexa-3,5-diene (*cis*-benzene glycol) from a strain of *Pseudomonas putida* isolated from soil (Axcell, B. C. & Geary, P. J.) 173–183
Benzylpenicillin, inhibition of cross-linking by, *in vivo* accompanied by the formation of soluble peptidoglycan in *Bacillys licheniformis* 94 (Tynecka, Z. & Ward, J. B.) 253–267
Betacyanin, evidence against an involvement of cyclic nucleotides in the induction by cytokinins of the biosynthesis of, in *Amaranthus* sp. seedlings (Elliott, D. C. & Murray, A. W.) 333–337
[^{14}C]Bicarbonate, incorporation of ^{14}C from [U-^{14}C]-pyruvate, [U-^{14}C]glutamate and, into glycogen in guinea-pig brain slices (Phillips, M. E. & Coxon, R. V.) 185–189
N^1N^8-Bis-(2,3-dihydroxybenzoyl)spermidine, identification and biosynthesis of, and other siderochromes formed by *Microccus denitrificans* N.C.I.B. 8944 (Tait, G. H.) 191–204
Blowfly (*Calliphora vicina*) larvae, induction by ecdysone of the biosynthesis of dopa (3,4-dihydroxyphenylalanine) decarboxylase *de novo* in the integument of (Fragoulis, E. G. & Sekeris, C. E.) 121–126
Blowfly (*Lucilia cuprina*), activity of a calcium-ion-transport system in isolated flight-muscle mitochondria from, during post-emergent development (Bygrave, F. L., Daday, A. A. & Doy, F. A.) 601–608
Blowfly (*Phormia regina*), concentrations of oxidized and reduced nicotinamide–adenine dinucleotide, adenosine triphosphate and adenosine diphosphate, mitochondrial energy status during controlled respiration and the control of tricarboxylic acid-cycle oxidations in flight muscle and isolated mitochondria from (Hansford, R. G.) 537–547
Blowfly (*Phormia regina*), steady-state concentrations of citrate, isocitrate, 2-oxo-glutarate and malate and the control of tricarboxylic acid-cycle oxidations in flight muscle and isolated mitochondria from (Johnson, R. N. & Hansford, R. G.) 527–535
Brain, guinea-pig, incorporation of ^{14}C from [U-^{14}C]pyruvate, [U-^{14}C]glutamate and [^{14}C]bicarbonate into glycogen in slices of (Phillips, M. E. & Coxon, R. V.) 185–189
Brain, rat, multiple activities of cyclic nucleotide phosphodiesterases and the occurrence of a calcium-plus-magnesium ion-dependent phosphodiesterase and its protein activator in, and other tissues (Kakiuchi, S., Yamazaki, R., Teshima, Y., Uenishi, K. & Miyamoto, E.) 109–120
Brassica oleracea, *see* Cauliflower
Bud tissue, cauliflower, biosynthesis of fatty acids in (Weaire, P. J. & Kekwick, R. G. O.) 425–437

Caffeine, enzymic formation of theobromine and, from 7-methylxanthine by extracts of tea leaves (Suzuki, T. & Takahashi, E.) 87–96
Caffeine, formation of, and other products during the metabolism of xanthine and hypoxanthine by excised tea shoot tips (Suzuki, T. & Takahashi, E.) 79–85
Calcium ions, activity of a system for the transport of, in isolated blowfly flight-muscle mitochondria during post-emergent development (Bygrave, F. L., Daday, A. A. & Doy, F. A.) 601–608
Calliphora vicina, *see* Blowfly
Canavanine, increased rates of degradation of aberrant proteins biosynthesized in Reuber H35 hepatoma cells in the presence of, or other amino acid analogues (Knowles, S. E., Gunn, J. M., Hanson, R. W. & Ballard, F. J.) 595–600
Canavanine, properties of phosphoenolpyruvate carboxykinase (guanosine triphosphate) biosynthesized in Reuber H35 hepatoma cells in the presence of, or other amino acid analogues (Knowles, S. E., Gunn, J. M., Reshef, L., Hanson, R. W. & Ballard, F. J.) 585–593
Candida utilis N.C.Y.C. 193, electron-paramagnetic-resonance-spectroscopic studies of iron–suiphur centres of submitochondrial particles from, grown in iron-deficient and sulphate-deficient media (Gray, T. A., Garland, P. B., Lowe, D. J. & Bray, R. C.) 239–246
Carbonic anhydrase, significance of the final cell division in the changes in the activities of, and other enzymes during the differentiation of rabbit erythrocytes (Denton, M. J., Spencer, N. & Arnstein, H. R. V.) 205–211

Carcinosarcoma, Walker 256, rat, electrophoretic and centrifugation behaviour of mitochondrial ribonucleic acids from (González-Cadvaid, N. F. & Pérez, J. L.) 361–373
Catalase–hydrogen peroxide intermediate (Compound I), spectrophotometric determination of, in the liver of anaesthetized rats and its implication to the production of hydrogen peroxide *in situ* (Oshino, N., Jamieson, D., Sugano, T. & Chance, B.) 67–77
Catalase, significance of the final cell division in the changes in the activities of, and other enzymes during the differentiation of rabbit erythrocytes (Denton, M. J., Spencer, N. & Arnstein, H. R. V.) 205–211
Cauliflower (*Brassica oleracea*) bud tissue, biosynthesis of fatty acids in (Weaire, P. J. & Kekwick, R. G. O.) 425–437
Cells, hepatoma, Reuber H35, increased rates of degradation of aberrant proteins biosynthesized in, in the presence of amino acid analogues (Knowles, S. E., Gunn, J. M., Hanson, R. W. & Ballard, F. J.) 595–600
Cells, hepatoma, Reuber, H35, properties of phosphoenolpyruvate carboxykinase (guanosine triphosphate) biosynthesized in, in the presence of amino acid analogues (Knowles, S. E., Gunn, J. M., Reshef, L., Hanson, R. W. & Ballard, F. J.) 585–593
Cells, Kurloff, guinea-pig, separation from, of a proteoglycan fraction stimulating the biosynthesis of protein in peritoneal macrophages (Dean, M. F. & Muir, H.) 557–563
Cells, liver, rat, isolated, effects of L-leucine on the biosynthesis of urea, glutamate and glutamine by (Mendes-Mourão, J., McGivan, J. D. & Chappell, J. B.) 457–464
Cells, spleen, mouse, activity of thymidine kinase of, *in vivo* and *in vitro* (Olsen, I. & Harris, G.) 489–496
Cephaloridine, inhibition of cross-linking by, *in vivo* accompanied by the formation of soluble peptidoglycan in *Bacillus licheniformis* 94 (Tynecka, Z. & Ward, J. B.) 253–267
Cerebellum, rat, multiple activities of cyclic nucleotide phosphodiesterases and the occurrence of a calcium-plus-magnesium ion-dependent phosphodiesterase and its protein activator in, and other tissues (Kakiuchi, S., Yamazaki, R., Teshima, Y., Uenishi, K. & Miyamoto, E.) 109–120
Cerebral cortex, rat, multiple activities of cyclic nucleotide phosphodiesterases and the occurrence of a calcium-plus-magnesium ion-dependent phosphodiesterase and its protein activator in, and other tissues (Kakiuchi, S., Yamazaki, R., Teshima, Y., Uenishi, K. & Miyamoto, E.) 109–120
Cerebrum, guinea-pig, incorporation of ^{14}C from [U-^{14}C]-pyruvate, [U-^{14}C]glutamate and [^{14}C]bicarbonate into glycogen in slices of (Phillips, M. E. & Coxon, R. V.) 185–189
Chick embryo, transfer of serine from chromatographically distinguishable species of seryl-transfer ribonucleic acid from skeletal muscle of, into polypeptides and myosin (Nwagwu, M.) 395–400
Chicken, effect of diet on the activities of glycerol 3-phosphate dehydrogenase and other enzymes involved in the metabolism of glyceride in liver of (Harding, J. W., Jr., Pyeritz, E. A., Copeland, E. S. & White, H. B., III) 223–229
Chlorophyllide, studies on the biosynthesis of, by isolated barley-seedling etioplasts (Griffiths, W. T.) 17–24
Chloroplasts, pea-leaf, developing, isolated, biosynthesis of proteins in (Siddell, S. G. & Ellis, R. J.) 675–685
Cholera toxin, activation of adenylate cyclase in pigeon erythrocytes by subunit A of (van Heyningen, S. & King, C. A.) 269–271
5α-Cholestan-3β-ol, conversion of, into 5α-cholest-7-en-3β-ol in the starfish *Asterias rubens* (Smith, A. G. & Goad, L. J.) 35–40
5α-Cholest-7-en-3β-ol, biosynthesis of, and other sterols in the starfish *Asterias rubens* (Smith, A. G. & Goad, L. J.) 25–33
5α-Cholest-7-en-3β-ol, conversion of cholest-5-en-3β-ol into, in the starfish *Asterias rubens* and *Solaster papposus* (Smith, A. G. & Goad, L. J.) 35–40
Cholest-5-en-3β-ol, conversion of, into 5α-cholest-7-en-3β-ol in the starfish *Asterias rubens* and *Solaster papposus* (Smith, A. G. & Goad, L. J.) 35–40
Choline, biosynthesis of phosphatidylcholine from, in rat liver (Sundler, R. & Åkesson, B.) 309–315
Chromatin, lack of relationship between the activity of proteinase bound to, and cell growth rates in rat liver and hepatomas (Chae, C.-B., Smith, M. C. & Morris, H. P.) 281–283
Chromatin, liver, rat, effect of spermine on the transcription of, by deoxyribonucleic acid-dependent ribonucleic acid polymerase (Moruzzi, G., Barbiroli, B., Moruzzi, M. S. & Tadolini, B.) 697–703
Chromatin, liver, rat, modification of the template capacity of, for ribonucleic acid polymerase form B by food intake in animals under controlled feeding schedules (Barbiroli, B., Tadolini, B., Moruzzi, M. S. & Monti, M. G.) 687–696
Citrate, steady-state concentrations of isocitrate, 2-oxoglutarate, malate and, and the control of tricarboxylic acid-cycle oxidations in blowfly flight muscle and isolated mitochondria (Johnson, R. N. & Hansford, R. G.) 527–535
Citric acid cycle, *see* Tricarboxylic acid cycle
Clearing-factor lipase, *see* Lipase, clearing-factor
Concanavalin A, role of cell-membrane galactosyltransferase in the agglutination of rabbit erythrocytes by (Podolsky, D. K. & Weiser, M. M.) 213–221
Cyclic adenosine 3′:5′-monophosphate, *see* Adenosine 3′:5′-cyclic monophosphate
Cyclic guanosine 3′:5′-monophosphate, *see* Guanosine 3′:5′-cyclic monophosphate
Cyclic nucleotide phosphodiesterases, multiple activities of, and the occurrence of a calcium-plus-magnesium ion-dependent phosphodiesterase and its protein activator in various rat tissues (Kakiuchi, S., Yamazaki, R., Teshima, Y., Uenishi, K. & Miyamoto, E.) 109–120
Cyclic nucleotides, *see* Nucleotides, cyclic
Cytochrome *c*, *Pseudomonas* AM1, properties of, and other cytochromes (Anthony, C.) 289–298
Cytochromes, relationship between degree of unsaturation of membrane lipids and content of, in *Saccharomyces cerevisiae* mitochondria (Watson, K., Houghton, R. L., Bertoli, E. & Griffiths, D. E.) 409–416
Cytokinins, evidence against an involvement of cyclic nucleotides in the induction by, of the biosynthesis of betacyanin in *Amaranthus* sp. seedlings (Elliott, D. C. & Murray, A. W.) 333–337

Cytosol, uterus, rat, immature, dynamics of the distribution of oestrogen receptors between, and nuclei after the administration of oestradiol-17β (Mešter, J. & Baulieu, E. E.) 617–623

Development, post-emergent, activity of a calcium-ion-transport system in isolated blowfly flight-muscle mitochondria during (Bygrave, F. L., Daday, A. A. & Doy, F. A.) 601–608
Diabetes, streptozotocin-, metabolic interactions of dichloroacetate and insulin in ketoacidosis due to, in the rat (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 447–456
Dicarboxylate carrier, kinetic study of the transport of sulphate by, in rat liver mitochondria (Crompton, M., Palmieri, F., Capano, M. & Quagliariello, E.) 667–673
Dichloroacetate, metabolic interactions of insulin and, in experimental diabetic ketoacidosis in the rat (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 447–456
Diet, effect of, on the activities of glycerol 3-phosphate dehydrogenase and other enzymes involved in the metabolism of glyceride in chicken liver (Harding, J. W., Jr., Pyeritz, E. A., Copeland, E. S. & White, H. B., III) 223–229
Diet, effects of lipolytic agents, limb ischaemia and, on the distribution of L-tryptophan in the plasma and the body generally in the rat (Stoner, H. B., Cunningham, V. J., Elson, P. M. & Hunt, A.) 659–666
3,5-Diethoxycarbonyl-1,4-dihydrocollidine, evidence for two basically different mechanisms in the stimulation by griseofulvin and, of the pathway for the biosynthesis of porphyrin in rat and mouse liver (De Matteis, F. & Gibbs, A. H.) 285–287
2,3-Dihydroxybenzoate, identification of, and other siderochromes formed by *Micrococcus denitrificans* N.C.I.B. 8944 (Tait, G. H.) 191–204
cis-1,2-Dihydroxycyclohexa-3,5-diene (*cis*-benzene glycol), purification and properties of a soluble enzyme system catalysing the oxidation of benzene to, from a strain of *Pseudomonas putida* isolated from soil (Axcell, B. C. & Geary, P. J.) 173–183
3,4-Dihydroxyphenylalanine (dopa) decarboxylase, induction by ecdysone of the biosynthesis of, *de novo* in the integument of blowfly larvae (Fragoulis, E. G. & Sekeris, C. E.) 121–126
4-Dimethylamino-3′-methylazobenzene, opposing effects of preincubated oxidized nicotinamide–adenine dinucleotide phosphate and, on the incorporation of L-leucine into protein by rat liver postmitochondrial supernatant fraction (Madsen, N. P. & Labuc, J. E.) 505–507
Dipeptides, studies on a wide-spectrum uptake system for, in monkey and human small intestine (Das, M. & Radhakrishnan, A. N.) 133–139
Dodecanoate, binding of L-tryptophan to ox, human and rat serum albumins in the presence of, and other non-esterified fatty acids (Cunningham, V. J., Hay, L. & Stoner, H. B.) 653–658
Dopa (3,4-Dihydroxyphenylalanine) decarboxylase, induction by ecdysone of the biosynthesis of, *de novo* in the integument of blowfly larvae (Fragoulis, E. G. & Sekeris, C. E.) 121–126

Ecdysone, induction by, of the biosynthesis of dopa (3,4-dihydroxyphenylalanine) decarboxylase *de novo* in the integument of blowfly larvae (Fragoulis, E. G. & Sekeris, C. E.) 121–126
Electron transport, transport of metabolites in mutant strains of *Escherichia coli* K12 that are deficient in, and coupled phosphorylation (Rosenberg, H., Cox, G. B., Butlin, J. D. & Gutowski, S. J.) 417–423
Elongation factor 2, inhibition by ricin of the binding of, and of adenosine diphosphate ribosylated elongation factor 2 to rat liver ribosomes (Montanaro, L., Sperti, S., Mattioli, A., Testoni, G. & Stirpe, F.) 127–131
Endoplasmic reticulum, *see* Reticulum, endoplasmic
Energy status, mitochondrial, during controlled respiration, concentrations of oxidized and reduced nicotinamide–adenine dinucleotide, adenosine triphosphate and adenosine diphosphate and the control of tricarboxylic acid-cycle oxidations in blowfly flight muscle and isolated mitochondria (Hansford, R. G.) 537–547
Entodinium caudatum, biosynthesis of phospholipids in (Broad, T. E. & Dawson, R. M. C.) 317–328
Epididymis, rat, activity of clearing-factor lipase of fat-cells isolated from (Cryer, A., Davies, P., Williams, E. R. & Robinson, D. S.) 418–488
Epididymis, rat, properties and extracellular location of 5′-nucleotidase of the plasma membrane of fat-cells from (Newby, A. C., Luzio, J. P. & Hales, C. N.) 625–633
Erythrocytes, pigeon, activation of adenylate cyclase in, by subunit A of cholera toxin (van Heyningen, S. & King, C. A.) 269–271
Erythrocytes, rabbit, role of cell-membrane galactosyltransferase in the agglutination of, by concanavalin A (Podolsky, D. K. & Weiser, M. M.) 213–221
Erythrocytes, rabbit, significance of the final cell division in the biochemical and enzymic changes occurring during the differentiation of (Denton, M. J., Spencer, N. & Arnstein, H. R. V.) 205–211
Escherichia coli K12, transport of metabolites in mutant strains of, deficient in electron transport and coupled phosphorylation (Rosenberg, H., Cox, G. B., Butlin, J. D. & Gutowski, S. J.) 417–423
Estradiol, *see* Oestradiol
Estrogens, *see* Oestrogens
Ethanol, involvement of cytochrome *c* in the metabolism of, by *Pseudomonas* AM1 (Anthony, C.) 289–298
Ethanol, production of hydrogen peroxide by perfused rat liver during hyperoxia and hypoxia and its relevance to the metabolism of (Oshino, N., Jamieson, D. & Chance, B.) 53–65
Ethanolamine, biosynthesis of phosphatidylethanolamine from, in rat liver (Sundler, R. & Åkesson, B.) 309–315
Etioplasts, barley-seedling, isolated, studies on the biosynthesis of chlorophyllide by (Griffiths, W. T.) 17–24
Etioplasts, pea-leaf, isolated, biosynthesis of proteins *in vitro* in, and developing chloroplasts (Siddell, S. G. & Ellis, R. J.) 675–685
Exercise, muscular, isometric, interaction of insulin and, on the uptake of glucose by perfused rat skeletal muscle (Berger, M., Hagg, S. & Ruderman, N. B.) 231–238

Fat-cells, epididymal, rat, isolated, activity of clearing-factor lipase of (Cryer, A., Davies, P., Williams, E. R. & Robinson, D. S.) 481–488

Fat-cells, epididymal, rat, properties and extracellular location of 5′-nucleotidase of the plasma membrane of (Newby, A. C., Luzio, J. P. & Hales, C. N.) 625–633
Fat, changes in the body reserves of, and related metabolic parameters during the development of thiamin deficiency in the rat (Liang, C. C.) 739–740
Fatty acid synthetases, plastid, avocado-mesocarp, fractionation of the activities of (Weaire, P. J. & Kekwick, R. G. O.) 439–445
Fatty acids, biosynthesis of, in avocado mesocarp and cauliflower bud tissue (Weaire, P. J. & Kekwick, R. G. O.) 425–437
Fatty acids, metabolism of, and other lipids in the cow during starvation-induced ketosis (Brumby, P. E., Anderson, M., Tuckley, B., Storry, J. E. & Hibbitt, K. G.) 609–615
Fatty acids, non-esterified, binding of L-tryptophan to ox, human and rat serum albumins in the presence of (Cunningham, V. J., Hay, L. & Stoner, H. B.) 653–658
Fatty acids, non-esterified, plasma, rat, changes in the concentration of, and other metabolic parameters related to the mobilization of fat reserves during the development of thiamin deficiency (Liang, C. C.) 739–740
Fatty acids, non-esterified, relationship between the concentration of, in plasma and the distribution of L-tryptophan in the plasma and the body generally in the rat (Stoner, H. B., Cunningham, V. J., Elson, P. M. & Hunt, A.) 659–666
Fatty acids, relationship between degree of unsaturation of, in membrane lipids and mitochondrial function in *Saccharomyces cerevisiae* (Watson, K., Houghton, R. L., Bertoli, E. & Griffiths, D. E.) 409–416
Fibrinogen, biosynthesis of albumin, transferrin and, in suspensions of isolated rat hepatocytes as a model for the study of the biosynthesis of plasma proteins (Jeejeebhoy, K. N., Ho, J., Greenberg, G. R., Phillips, M. J., Bruce-Robertson, A. & Sodtke, U.) 141–155
Flight muscle, *see* Muscle, flight
6-Fluorotryptophan, increased rates of degradation of aberrant proteins biosynthesized in Reuber H35 hepatoma cells in the presence of, or other amino acid analogues (Knowles, S. E., Gunn, J. M., Hanson, R. W. & Ballard, F. J.) 595–600
6-Fluorotryptophan, properties of phosphoenolpyruvate carboxykinase (guanosine triphosphate) biosynthesized in Reuber H35 hepatoma cells in the presence of, or other amino acid analogues (Knowles, S. E., Gunn, J. M., Reshef, L., Hanson, R. W. & Ballard, F. J.) 585–593
Food, modification of the template capacity of rat liver chromatin for ribonucleic acid polymerase from B by the intake of, in animals under controlled feeding schedules (Barbiroli, B., Tadolini, B., Moruzzi, M. S. & Monti, M. G.) 687–696

β-Galactosidase, lysosomal, liver, rat, structural equivalents of latency for the activities of, and other hydrolases (Baccino, F. M. & Zuretti, M. F.) 97–108
Galactosyltransferase, cell-membrane, role of, in the agglutination of rabbit erythrocytes by concanavalin A (Podolsky, D. K. & Weiser, M. M.) 213–221
Galactosyltransferase, micro method for the simultaneous determination of the activities of 5′-nucleotidase and, in cell fractions (Freilich, L. S., Richmond, M. E., Reppucci, A. C., Jr. & Silbert, J. E.) 741–743
Gamma radiation, *see* γ-Radiation
Gamma rays, *see* γ-Radiation
Gluconeogenesis, activities and intracellular distribution of enzymes involved in, in rat, guinea-pig and rabbit tissues (Saggerson, E. D. & Evans, C. J.) 329–332
Gluconeogenesis from hydroxypyruvate in isolated rat hepatocytes (Williamson, D. H. & Ellington, E. V.) 277–279
Glucose, aerobic production of lactate from, by rat mammary-gland tissue during late pregnancy and lactation (Elkin, A. R. & Kuhn, N. J.) 273–275
Glucose, blood, rat, changes in the concentration of, and other metabolic parameters related to the mobilization of fat reserves during the development of thiamin deficiency (Liang, C. C.) 739–740
Glucose, formation of, from hydroxypyruvate in isolated rat hepatocytes (Williamson, D. H. & Ellington, E. V.) 277–279
Glucose, interaction of insulin and isometric exercise on the uptake of, by perfused rat skeletal muscle (Berger, M., Hagg, S. & Ruderman, N. B.) 231–238
Glucose, interactions in the effects of dichloroacetate and insulin on the metabolism of ketone bodies and, in experimental diabetic ketoacidosis in the rat (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 447–456
Glucose, metabolic interactions of adrenaline, acetoacetate and, in rat submaxillary gland *in vitro* (Thompson, M. P. & Williamson, D. H.) 635–644
Glucose 6-phosphate dehydrogenase, significance of the final cell division in the changes in the activities of, and other enzymes during the differentiation of rabbit erythrocytes (Denton, M. J., Spencer, N. & Arnstein, H. R. V.) 205–211
β-Glucuronidase, lysosomal, liver, rat, structural equivalents of latency for the activities of, and other hydrolases (Baccino, F. M. & Zuretti, M. F.) 97–108
Glutamate dehydrogenase, stimulation by L-leucine of the activity of, in isolated rat liver cells (Mendes-Mourão, J., McGivan, J. D. & Chappell, J. B.) 457–464
Glutamate, effects of L-leucine on the biosynthesis of urea, glutamine and, by isolated rat liver cells (Mendes-Mourão, J., McGivan, J. D. & Chappell, J. B.) 457–464
[U-^{14}C]Glutamate, incorporation of ^{14}C from [U-^{14}C]-pyruvate, [^{14}C]bicarbonate and, into glycogen in guinea-pig brain slices (Phillips, M. E. & Coxon, R. V.) 185–189
L-Glutamate, stoicheiometry of the absorption of protons with phosphate and, by yeasts of the genus *Saccharomyces* (Cockburn, M., Earnshaw, P. & Eddy, A. A.) 705–712
Glutamine, effects of L-leucine on the biosynthesis of urea, glutamate and, by isolated rat liver cells (Mendes-Mourão, J., McGivan, J. D. & Chappell, J. B.) 457–464
Glutarate semialdehyde, identification of, as an intermediate during the degradation of pyridine by a *Nocardia* sp. isolated from soil (Watson, G. K. & Cain, R. B.) 157–172

Glutathione *S*-transferases, liver, rat, induction by drugs of the activities of, in male and female animals (Kaplowitz, N., Kuhlenkamp, J. & Clifton, G.) 351–356

Glyceride, effect of diet on the activities of glycerol 3-phosphate dehydrogenase and other enzymes involved in the metabolism of, in chicken liver (Harding, J. W., Jr., Pyeritz, E. A., Copeland, E. S. & White, H. B., III) 223–229

Glycerol kinase, effect of diet on the activities of, and other enzymes involved in the metabolism of glyceride in chicken liver (Harding, J. W., Jr., Pyeritz, E. A., Copeland, E. S. & White, H. B., III) 223–229

Glycerol 3-phosphate dehydrogenase, effect of diet on the activities of, and other enzymes involved in the metabolism of glyceride in chicken liver (Harding, J. W., Jr., Pyeritz, E. A., Copeland, E. S. & White, H. B., III) 223–229

Glycogen, incorporation of ^{14}C from [U-^{14}C]pyruvate, [U-^{14}C]glutamate and [^{14}C]bicarbonate into, in guinea-pig brain slices (Phillips, M. E. & Coxon, R. V.) 185–189

Glycoproteins, characterization of proteins and, of subfractions of plasma membranes from the blood-sinusoidal, bile-canalicular and contiguous surfaces of rat hepatocytes (Wisher, M. H. & Evans, W. H.) 375–388

Glycyl-L-leucine, studies on a wide-spectrum uptake system for, and other dipeptides in monkey and human small intestine (Das, M. & Radhakrishnan, A. N.) 133–139

Golgi fractions, liver, rat, micro method for the simultaneous determination of the activities of galactosyltransferase and 5′-nucleotidase in, and other subcellular fractions (Freilich, L. S., Richmond, M. E., Reppucci, A. C., Jr. & Silbert, J. E.) 741–743

Granulation tissue, rat, experimentally induced, preparation and properties of plasma membranes from (Lehtinen, P., Vuorio, E. & Kulonen, E.) 565–573

Granuloma, rat, experimentally induced, preparation and properties of plasma membranes from (Lehtinen, P., Vuorio, E. & Kulonen, E.) 565–573

Griseofulvin, evidence for two basically different mechanisms in the stimulation by 3,5-diethoxycarbonyl-1,4-dihydrocollidine and, of the pathway for the biosynthesis of porphyrin in rat and mouse liver (De Matteis, F. & Gibbs, A. H.) 285–287

Guanosine 3′:5′-cyclic monophosphate, multiple activities of cyclic nucleotide phosphodiesterases hydrolysing adenosine 3′:5′-cyclic monophosphate and, in various rat tissues (Kakiuchi, S., Yamazaki, R., Teshima, Y., Uenishi, K. & Miyamoto, E.) 109–120

Heart, rat, multiple activities of cyclic nucleotide phosphodiesterases and the occurrence of a calcium-plus-magnesium ion-dependent phosphodiesterase and its protein activator in, and other tissues (Kakiuchi, S., Yamazaki, R., Teshima, Y., Uenishi, K. & Miyamoto, E.) 109–120

Hen, *see* Chicken

Hepatectomy, functional, metabolic interactions of dichloroacetate and insulin in experimental diabetic ketoacidosis in the rat after (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 447–456

Hepatectomy, partial, effects of depletion of vitamin A followed by supplementation with retinyl acetate or retinoic acid on the regeneration of rat liver after (Jayaram, M., Sarada, K. & Ganguly, J.) 501–504

Hepatectomy, partial, effects of γ-irradiation on the biosynthesis of different types of ribonucleic acid in regenerating rat liver after (Markov, G. G., Dessev, G. N., Russev, G. C. & Tsanev, R. G.) 41–51

Hepatectomy, partial, increased biosynthesis of low-molecular-weight nuclear ribonucleic acids of rat liver after exposure of the animals to γ-radiation and (Fónagy, A. & Hidvégi, E. J.) 357–360

Hepatocytes, rat, isolated, biosynthesis of albumin, fibrinogen and transferrin in suspensions of, as a model for the study of the biosynthesis of plasma proteins (Jeejeebhoy, K. N., Ho, J., Greenberg, G. R., Phillips, M. J., Bruce-Robertson, A. & Sodtke, U.) 141–155

Hepatocytes, rat, isolated, effects of L-leucine on the biosynthesis of urea, glutamate and glutamine by (Mendes-Mourão, J., McGivan, J. D. & Chappell, J. B.) 457–464

Hepatocytes, rat, isolated, gluconeogenesis from hydroxypyruvate in (Williamson, D. H. & Ellington, E. V.) 277–279

Hepatocytes, rat, isolation and characterization of subfractions of plasma membranes from the blood-sinusoidal, bile-canalicular and contiguous surfaces of (Wisher, M. H. & Evans, W. H.) 375–388

Hepatoma cells, Reuber H35, increased rates of degradation of aberrant proteins biosynthesized in, in the presence of amino acid analogues (Knowles, S. E., Gunn, J. M., Hanson, R. W. & Ballard, F. J.) 595–600

Hepatoma cells, Reuber H35, properties of phosphoenolpyruvate carboxykinase (guanosine triphosphate) biosynthesized in, in the presence of amino acid analogues (Knowles, S. E., Gunn, J. M., Reshef, L., Hanson, R. W. & Ballard, F. J.) 585–593

Hepatomas, rat, lack of relationship between the activity of chromatin-bound proteinase and cell growth rates in, and liver (Chae, C.-B., Smith, M. C. & Morris, H. P.) 281–283

Hordeum vulgare, *see* Barley

Hydrocarbons, polycyclic, induction by, of the activities of glutathione *S*-transferases in liver of male and female rats (Kaplowitz, N., Kuhlenkamp, J. & Clifton, G.) 351–356

Hydrogen ions, stoicheiometry of the absorption of, with phosphate and L-glutamate by yeasts of the genus *Saccharomyces* (Cockburn, M., Earnshaw, P. & Eddy, A. A.) 705–712

Hydrogen peroxide, production of, by perfused rat liver during hyperoxia and hypoxia (Oshino, N., Jamieson, D. & Chance, B.) 53–65

Hydrogen peroxide, spectrophotometric determination of the catalase–hydrogen peroxide intermediate (Compound I) in the liver of anaesthetized rats and its implication to the production of hydrogen peroxide *in situ* (Oshino, N., Jamieson, D., Sugano, T. & Chance, B.) 67–77

Hydrolases, lysosomal, liver, rat, structural equivalents of latency for the activities of (Baccino, F. M. & Zuretti, M. F.) 97–108

2-Hydroxybenzoyl-*N*-L-threonyl-N^4-[N^1N^8-bis-(2,3-dihydroxybenzoyl)]spermidine, identification and biosynthesis of, and other siderochromes formed by *Micrococcus denitrificans* N.C.I.B. 8944 (Tait, G. H.) 191–204
15-Hydroxyprostaglandin dehydrogenase, lung, guinea-pig, inhibition of the activity of, by exposure of the animals to 100% oxygen at atmospheric pressure (Parkes, D. G. & Eling, T. E.) 549–556
Hydroxypyruvate, gluconeogenesis from, in isolated rat hepatocytes (Williamson, D. H. & Ellington, E. V.) 277–279
Hyperoxia, production of hydrogen peroxide by perfused rat liver during hypoxia and (Oshino, N., Jamieson, D. & Chance, B.) 53–65
Hypoxanthine, metabolism of xanthine and, in excised tea shoot tips (Suzuki, T. & Takahashi, E.) 79–85
Hypoxia, production of hydrogen peroxide by perfused rat liver during hyperoxia and (Oshino, N., Jamieson, D. & Chance, B.) 53–65

Inorganic phosphate, *see* Phosphate, inorganic
Insulin, interaction of, and isometric exercise on the uptake of glucose by perfused rat skeletal muscle (Berger, M., Hagg, S. & Ruderman, N. B.) 231–238
Insulin, metabolic interactions of dichloroacetate and, in experimental diabetic ketoacidosis in the rat (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 447–456
Integument, blowfly-larva, induction by ecdysone of the biosynthesis of dopa (3,4-dihydroxyphenylalanine) decarboxylase *de novo* in (Fragoulis, E. G. & Sekeris, C. E.) 121–126
Intestine, small, monkey and human, studies on a wide-spectrum uptake system for dipeptides in (Das, M. & Radhakrishnan, A. N.) 133–139
Iron, electron-paramagnetic-resonance-spectroscopic studies of iron–sulphur centres of submitochondrial particles from *Candida utilis* N.C.Y.C. 193 grown in media deficient in (Gray, T. A., Garland, P. B., Lowe, D. J. & Bray, R. C.) 239–246
Iron, identification and biosynthesis of siderochromes formed by *Micrococcus denitrificans* N.C.I.B. 8944 grown in media deficient in (Tait, G. H.) 191–204
Iron–sulphur centres, electron-paramagnetic-resonance-spectroscopic studies of, of submitochondrial particles from *Candida utilis* N.C.Y.C. 193 grown in iron-deficient and sulphate-deficient media (Gray, T. A., Garland, P. B., Lowe, D. J. & Bray, R. C.) 239–246
Ischaemia, limb, effects of diet, lipolytic agents and, on the distribution of L-tryptophan in the plasma and the body generally in the rat (Stoner, H. B., Cunningham, V. J., Elson, P. M. & Hunt, A.) 659–666
Isocitrate, steady-state concentrations of citrate, 2-oxoglutarate, malate and, and the control of tricarboxylic acid-cycle oxidations in blowfly flight muscle and isolated mitochondria (Johnson, R. N. & Hansford, R. G.) 527–535

Ketoacidosis, diabetic, experimental, metabolic interactions of dichloroacetate and insulin in, in the rat (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 447–456
Ketone bodies, interactions in the effects of dichloroacetate and insulin on the metabolism of glucose and, in experimental diabetic ketoacidosis in the rat (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 447–456
Ketosis, starvation-induced, metabolism of lipids in the cow during (Brumby, P. E., Anderson, M., Tuckley, B., Storry, J. E. & Hibbitt, K. G.) 609–615
Kidney cortex, rat, guinea-pig and rabbit, activities and intracellular distribution of nicotinamide–adenine dinucleotide phosphate-dependent malate dehydrogenase, phosphoenolpyruvate carboxykinase and pyruvate carboxylase in, and other tissues (Saggerson, E. D. & Evans, C. J.) 329–332
Kidney, rabbit, differential effects of the depletion of lipids on the activities of sodium-plus-potassium ion-dependent adenosine triphosphatase and potassium ion-dependent phosphatase of membranes from (Wheeler, K. P. & Walker, J. A.) 723–727
Kidney, rabbit, requirement for lipids of the sodium-plus-potassium ion-dependent adenosine triphosphatase system of membranes from (Wheeler, K. P., Walker, J. A. & Barker, D. M.) 713–722
Kidney, rabbit, role of phospholipids in the intermediate steps of the reaction catalysed by the sodium-plus-potassium ion-dependent adenosine triphosphatase system of membranes from (Wheeler, K. P.) 729–738
Kidney, rat, multiple activities of cyclic nucleotide phosphodiesterases and the occurrence of a calcium-plus-magnesium ion-dependent phosphodiesterase and its protein activator in, and other tissues (Kakiuchi, S., Yamazaki, R., Teshima, Y., Uenishi, K. & Miyamoto, E.) 109–120
Kininase II, *see* Angiotensin-converting enzyme
Kurloff cells, guinea-pig, separation from, of a proteoglycan fraction stimulating the biosynthesis of protein in peritoneal macrophages (Dean, M. F. & Muir, H.) 557–563

β-Lactamase, inhibition of cross-linking by benzylpenicillin and cephaloridine *in vivo* accompanied by the formation of soluble peptidoglycan in a *Bacillus licheniformis* mutant strain deficient in (Tynecka, Z. & Ward, J. B.) 253–267
Lactate, aerobic production of, by rat mammary-gland tissue during late pregnancy and lactation (Elkin, A. R. & Kuhn, N. J.) 273–275
Lactate dehydrogenase, significance of the final cell division in the changes in the activities of, and other enzymes during the differentiation of rabbit erythrocytes (Denton, M. J., Spencer, N. & Arnstein, H. R. V.) 205–211
Lactation, aerobic production of lactate by rat mammary-gland tissue during late pregnancy and (Elkin, A. R. & Kuhn, N. J.) 273–275
Lactation, differences in the ribonucleic acids of guinea-pig mammary gland before and during (Ashby, P. & Campbell, P. N.) 575–583
Lanosterol, biosynthesis of, and other sterols in the starfish *Asterias rubens* (Smith, A. G. & Goad, L. J.) 25–33
Laurate, *see* Dodecanoate
Leaves, pea, biosynthesis of proteins *in vitro* in etioplasts and developing chloroplasts isolated from (Siddell, S. G. & Ellis, R. J.) 675–685

Leaves, tea, enzymic formation of theobromine and caffeine from 7-methylxanthine by extracts of (Suzuki, T. & Takahashi, E.) 87–96
Lectins, relationship between enhanced turnover of phosphatidylinositol and activation of pig lymphocytes by (Maino, V. C., Hayman, M. J. & Crumpton, M. J.) 247–252
Leucine, effect of treatment with phenobarbitone on the incorporation of, into protein by liver polyribosomes from fed and starved rats (Ragnotti, G. & Aletti, M. G.) 1–12
L-Leucine, effects of, on the biosynthesis of urea, glutamate and glutamine by isolated rat liver cells (Mendes-Mourão, J., McGivan, J. D. & Chappell, J. B.) 457–464
Leucine, lack of influence of the endoplasmic-reticulum membranes on the capacity of polyribosomes for the incorporation of, into protein (Ragnotti, G., Aletti, M. G. & Cipollini, T. L.) 13–15
L-Leucine, opposing effects of preincubated oxidized nicotinamide–adenine dinucleotide phosphate and 4-dimethylamino-3′-methylazobenzene on the incorporation of, into protein by rat liver postmitochondrial supernatant fraction (Madsen, N. P. & Labuc, J. E.) 505–507
Leucine, separation from guinea-pig Kurloff cells of a proteoglycan fraction stimulating the incorporation of, into protein by peritoneal macrophages (Dean, M. F. & Muir, H.) 557–563
Lipase, clearing-factor, activity of, of isolated rat epididymal fat-cells (Cryer, A., Davies, P., Williams, E. R. & Robinson, D. S.) 481–488
Lipid, mannosyl-carrier, characterization of, of ox adrenal-gland medulla and rat parotid gland (White, D. A. & Waechter, C. J.) 645–651
Lipids, differential effects of the depletion of, on the activities of rabbit kidney membrane sodium-plus-potassium ion-dependent adenosine triphosphatase and potassium ion-dependent phosphatase (Wheeler, K. P. & Walker, J. A.) 723–727
Lipids, membrane, mitochondrial, *Saccharomyces cerevisiae*, relationship between degree of unsaturation of, and mitochondrial function (Watson, K., Houghton, R. L., Bertoli, E. & Griffiths, D. E.) 409–416
Lipids, membrane, relationship between the mobility of, and the specific binding of thyrotrophin by human thyroid-gland membranes (Bashford, C. L., Harrison, S. J., Radda, G. K. & Mehdi, Q.) 473–479
Lipids, metabolism of, in the cow during starvation-induced ketosis (Brumby, P. E., Anderson, M., Tuckley, B., Storry, J. E. & Hibbitt, K. G.) 609–615
Lipids, requirement for, of the rabbit kidney membrane sodium-plus-potassium ion-dependent adenosine triphosphatase system (Wheeler, K. P., Walker, J. A. & Barker, D. M.) 713–722
Lipids, role of, in the intermediate steps of the reaction catalysed by the rabbit kidney membrane sodium-plus-potassium ion-dependent adenosine triphosphatase system (Wheeler, K. P.) 729–738
Lipolytic agents, effects of diet, limb ischaemia and, on the distribution of L-tryptophan in the plasma and the body generally in the rat (Stoner, H. B., Cunningham, V. J., Elson, P. M. & Hunt, A.) 659–666
Lipoprotein lipase, *see* Lipase, clearing-factor
Lipoproteins, serum, cow, changes in the concentrations and compositions of, during starvation-induced ketosis (Brumby, P. E., Anderson, M., Tuckley, B., Storrey, J. E. & Hibbitt, K. G.) 609–615
Liver cells, rat, isolated, effects of L-leucine on the biosynthesis of urea, glutamate and glutamine by (Mendes-Mourão, J., McGivan, J. D. & Chappell, J. B.) 457–464
Liver, chicken, effect of diet on the activities of glycerol 3-phosphate dehydrogenase and other enzymes involved in the metabolism of glyceride in (Harding, J. W., Jr., Pyeritz, E. A., Copeland, E. S. & White, H. B., III) 223–229
Liver, cow, changes in the concentrations and compositions of lipids in, serum and milk during starvation-induced ketosis (Brumby, P. E., Anderson, M., Tuckley, B., Storry, J. E. & Hibbitt, K. G.) 609–615
Liver, rabbit, glycosylation of ox pancreatic ribonuclease A by extracts of (Khalkhali, Z. & Marshall, R. D.) 299–307
Liver, rat and mouse, evidence for two basically different mechanisms in the stimulation by griseofulvin, 3,5-diethoxycarbonyl-1,4-dihydrocollidine and related drugs of the pathway for the biosynthesis of porphyrin in (De Matteis, F. & Gibbs, A. H.) 285–287
Liver, rat, biosynthesis of albumin, fibrinogen and transferrin in suspensions of hepatocytes isolated from, as a model for the study of the biosynthesis of plasma proteins (Jeejeebhoy, K. N., Ho, J., Greenberg, G. R., Phillips, M. J., Bruce-Robertson, A. & Sodtke, U.) 141–155
Liver, rat, biosynthesis of phosphatidylethanolamines and phosphatidylcholines from ethanolamine and choline in (Sundler, R. & Åkesson, B.) 309–315
Liver, rat, clearance of adenosine 3′:5′-cyclic monophosphate from plasma by (Strange, R. C. & Percy-Robb, I. W.) 509–512
Liver, rat, decrease in the uptake of substrates by mitochondria from, caused by trialkyltin and trialkyl-lead compounds and its relevance to the inhibition of oxidative phosphorylation (Skilleter, D. N.) 465–471
Liver, rat, dependence on vitamin E and selenium of the demethylation of drugs by microsomal fractions from (Giasuddin, A. S. M., Caygill, C. P. J., Diplock, A. T. & Jeffery, E. H.) 339–350
Liver, rat, effect of spermine on the transcription of chromatin from, by deoxyribonucleic acid-dependent ribonucleic acid polymerase (Moruzzi, G., Barbiroli, B., Moruzzi, M. S. & Tadolini, B.) 697–703
Liver, rat, effect of treatment with phenobarbitone on the biosynthesis of protein by polyribosomes from, of fed and starved animals (Ragnotti, G. & Alletti, M. G.) 1–12
Liver, rat, effects of depletion of vitamin A followed by supplementation with retinyl acetate or retinoic acid on the regeneration of, after partial hepatectomy (Jayaram, M., Sarada, K. & Ganguly, J.) 501–504
Liver, rat, gluconeogenesis from hydroxypyruvate in hepatocytes isolated from (Williamson, D. H. & Ellington, E. V.) 277–279

Liver, rat, guinea-pig and rabbit, activities and intracellular distribution of nicotinamide–adenine dinucleotide phosphate-dependent malate dehydrogenase, phosphoenolpyruvate carboxykinase and pyruvate carboxylase in, and other tissues (Saggerson, E. D. & Evans, C. J.) 329–332

Liver, rat, increased biosynthesis of low-molecular-weight nuclear ribonucleic acids of, after exposure of the animals to γ-radiation and partial hepatectomy (Fónagy, A. & Hidvégi, E. J.) 357–360

Liver, rat, inhibition by ricin of the binding of elongation factor 2 and of adenosine diphosphate ribosylated elongation factor 2 to ribosomes from (Montanaro, L., Sperti, S., Mattioli, A., Testoni, G. & Stirpe, F.) 127–131

Liver, rat, interactions in the effects of dichloroacetate and insulin on metabolism in, in experimental diabetic ketoacidosis (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 447–456

Liver, rat, isolation and characterization of subfractions of plasma membranes from the blood-sinusoidal, bile-canalicular and contiguous surfaces of hepatocytes from (Wisher, M. H. & Evans, W. H.) 375–388

Liver, rat, isolation and probable structure of proalbumin from, as a precursor of serum albumin (Quinn, P. S., Gamble, M. & Judah, J. D.) 389–393

Liver, rat, kinetic study of the transport of sulphate in mitochondria from (Crompton, M., Palmieri, F., Capano, M. & Quagliariello, E.) 667–673

Liver, rat, lack of influence of the endoplasmic-reticulum membranes on the capacity of polyribosomes from, for the biosynthesis of protein (Ragnotti, G., Aletti, M. G. & Cipollini, T. L.) 13–15

Liver, rat, lack of relationship between the activity of chromatin-bound proteinase and cell growth rates in, and hepatomas (Chae, C.-B., Smith, M. C. & Morris, H. P.) 281–283

Liver, rat, male and female, induction by drugs of the activities of glutathione *S*-transferases of (Kaplowitz, N., Kuhlenkamp, J. & Clifton, G.) 351–356

Liver, rat, micro method for the simultaneous determination of the activities of galactosyltransferase and 5′-nucleotidase in subcellular fractions of (Freilich, L. S., Richmond, M. E., Reppucci, A. C., Jr. & Silbert, J. E.) 741–743

Liver, rat, modification of the template capacity of chromatin from, for ribonucleic acid polymerase form B by food intake in animals under controlled feeding schedules (Barbiroli, B., Tadolini, B., Moruzzi, M. S. & Monti, M. G.) 687–696

Liver, rat, multiple activities of cyclic nucleotide phosphodiesterases and the occurrence of a calcium-plus-magnesium ion-dependent phosphodiesterase and its protein activator in, and other tissues (Kakiuchi, S., Yamazaki, R., Teshima, Y., Uenishi, K. & Miyamoto, E.) 109–120

Liver, rat, normal and regenerating, effects of γ-irradiation on the biosynthesis of different types of ribonucleic acid in (Markov, G. G., Dessev, G. N., Russev, G. C. & Tsanev, R. G.) 41–51

Liver, rat, opposing effects of preincubated oxidized nicotinamide–adenine dinucleotide phosphate and 4-dimethylamino-3′-methylazobenzene on the incorporation of L-leucine into protein by the postmitochondrial supernatant fraction of (Madsen, N. P. & Labuc, J. E.) 505–507

Liver, rat, perfused, production of hydrogen peroxide by, during hyperoxia and hypoxia (Oshino, N., Jamieson, D. & Chance, B.) 53–65

Liver, rat, selectivity and stoicheiometry of the binding sites of microsomal membranes from, for polyribosomes, ribosomes and ribosomal subunits *in vitro* (Shires, T. K., McLaughlin, C. M. & Pitot, H. C.) 513–526

Liver, rat, spectrophotometric determination of the catalase–hydrogen peroxide intermediate (Compound I) in, of anaesthetized animals and its implication to the production of hydrogen peroxide *in situ* (Oshino, N., Jamieson, D., Sugano, T. & Chance, B.) 67–77

Liver, rat, structural equivalents of latency for the activities of lysosomal hydrolases of (Baccino, F. M. & Zuretti, M. F.) 97–108

Lucilia cuprina, *see* Blowfly

Lung, guinea-pig, inhibition of the activity of 15-hydroxyprostaglandin dehydrogenase in, by exposure of the animals to 100% oxygen at atmospheric pressure (Parkes, D. G. & Eling, T. E.) 549–556

Lung, pig, subcellular localization of angiotensin-converting enzyme in (Ryan, J. W., Ryan, U. S., Schultz, D. R., Whitaker, C., Chung, A. & Dorer, F. E.) 497–499

Lymphocytes, pig, relationship between enhanced turnover of phosphatidylinositol and activation of, by mitogens (Maino, V. C., Hayman, M. J. & Crumpton, M. J.) 247–252

Lysosomes, liver, rat, structural equivalents of latency for the activities of hydrolases in (Baccino, F. M. & Zuretti, M. F.) 97–108

Macaca radiata, *see* Monkey

Macrophages, peritoneal, guinea-pig, separation from Kurloff cells of a proteoglycan fraction stimulating the biosynthesis of protein in (Dean, M. F. & Muir, H.) 557–563

Macrophages, peritoneal, rat, comparison of the properties of plasma membranes from experimentally induced rat granulation tissue and from (Lehtinen, P., Vuorio, E. & Kulonen, E.) 565–573

Malate dehydrogenase, nicotinamide–adenine dinucleotide phosphate-dependent, activities and intracellular distribution of, and other enzymes involved in gluconeogenesis in rat, guinea-pig and rabbit tissues (Saggerson, E. D. & Evans, C. J.) 329–332

Malate, steady-state concentrations of citrate, isocitrate, 2-oxoglutarate and, and the control of tricarboxylic acid-cycle oxidations in blowfly flight muscle and isolated mitochondria (Johnson, R. N. & Hansford, R. G.) 527–535

Malonyl-coenzyme A, incorporation of acetate and, into fatty acids by avocado mesocarp and cauliflower bud tissue (Weaire, P. J. & Kekwick, R. G. O.) 425–437

Mammary gland, guinea-pig, properties of the ribonucleic acids of (Ashby, P. & Campbell, P. N.) 575–583

Mammary gland, rat, aerobic production of lactate by tissue from, during late pregnancy and lactation (Elkin, A. R. & Kuhn, N. J.) 273–275

Mannose residues, role of, of cell-membrane galactosyltransferase in the agglutination of rabbit erythrocytes by concanavalin A (Podolsky, D. K. & Weiser, M. M.) 213–221

Mannosyl-carrier lipid, characterization of, of ox adrenal-gland medulla and rat parotid gland (White, D. A. & Waechter, C. J.) 645–651

Membrane, erythrocyte, pigeon, activation of adenylate cyclase of, by subunit A of cholera toxin (van Heyningen, S. & King, C. A.) 269–271

Membrane, erythrocyte, rabbit, role of galactosyltransferase of, in agglutination by (Podolsky, D. K. & Weiser, M. M.) 213–221

Membrane, plasma, fat-cell, epididymal, rat, properties and extracellular location of 5′-nucleotidase of (Newby, A. C., Luzio, J. P. & Hales, C. N.) 625–633

Membranes, endoplasmic-reticulum, liver, rat, lack of influence of, on the capacity of the polyribosomes for the biosynthesis of protein (Ragnotti, G., Aletti, M. G. & Cipollini, T. L.) 13–15

Membranes, kidney, rabbit, differential effects of the depletion of lipids on the activities of sodium-plus-potassium ion-dependent adenosine triphosphatase and potassium ion-dependent phosphatase from (Wheeler, K. P. & Walker, J. A.) 723–727

Membranes, kidney, rabbit, requirement for lipids of the sodium-plus-potassium ion-dependent adenosine triphosphatase system of (Wheeler, K. P., Walker, J. A. & Barker, D. M.) 713–722

Membranes, kidney, rabbit, role of phospholipids in the intermediate steps of the reaction catalysed by the sodium-plus-potassium ion-dependent adenosine triphosphate system of (Wheeler, K. P.) 729–738

Membranes, microsomal, liver, rat, selectivity and stoicheiometry of the binding sites of, for polyribosomes, ribosomes and ribosomal subunits *in vitro* (Shires, T. K., McLaughlin, C. M. & Pitot, H. C.) 513–526

Membranes, mitochondrial, *Saccharomyces cerevisiae* N.C.Y.C. 239, effect of temperature on the energies of activation of the respiratory enzymes of (Watson, K., Bertoli, E. & Griffiths, D. E.) 401–407

Membranes, mitochondrial, *Saccharomyces cerevisiae*, relationship between degree of unsaturation of lipids of, and mitochondrial function (Watson, K., Houghton, R. L., Bertoli, E. & Griffiths, D. E.) 409–416

Membranes, plasma, hepatocyte, rat, isolation and characterization of subfractions of, from the blood-sinusoidal, bile-canalicular and contiguous surfaces (Wisher, M. H. & Evans, W. H.) 375–388

Membranes, plasma, preparation and properties of, from experimentally induced rat granulation tissue (Lehtinen, P., Vuorio, E. & Kulonen, E.) 565–573

Membranes, thyroid-gland, human, relationship between the mobility of lipids and the specific binding of thyrotrophin by (Bashford, C. L., Harrison, S. J., Radda, G. K. & Mehdi, Q.) 473–479

Mesocarp, avocado, biosynthesis of fatty acids in (Weaire, P. J. & Kekwick, R. G. O.) 425–437

Mesocarp, avocado, fractionation of the fatty acid synthetase activities of plastids from (Weaire, P. J. & Kekwick, R. G. O.) 439–445

Messenger ribonucleic acid, *see* Ribonucleic acid, messenger

Methanol, involvement of cytochrome *c* in the metabolism of, by *Pseudomonas* AM1 (Anthony, C.) 289–298

Methionine, incorporation of, into proteins *in vitro* in etioplasts and developing chloroplasts isolated from pea leaves (Siddell, S. G. & Ellis, R. J.) 675–685

Methylamine, involvement of cytochrome *c* in the metabolism of, by *Pseudomonas* AM1 (Anthony, C.) 289–298

7-Methylxanthine, enzymic formation of theobromine and caffeine from, by extracts of tea leaves (Suzuki, T. & Takahashi, E.) 87–96

Mevalonate, incorporation of, into sterols in the starfish *Asterias rubens* (Smith, A. G. & Goad, L. J.) 25–33

Micrococcus denitrificans N.C.I.B. 8944, identification and biosynthesis of siderochromes formed by (Tait, G. H.) 191–204

Microsomal fraction, kidney, rabbit, differential effects of the depletion of lipids on the activities of sodium-plus-potassium ion-dependent adenosine triphosphatase and potassium ion-dependent phosphatase of membranes from (Wheeler, K. P. & Walker, J. A.) 723–727

Microsomal fraction, kidney, rabbit, requirement for lipids of the sodium-plus-potassium ion-dependent adenosine triphosphatase system of membranes of (Wheeler, K. P., Walker, J. A. & Barker, D. M.) 713–722

Microsomal fraction, kidney, rabbit, role of phospholipids in the intermediate steps of the reaction catalysed by the sodium-plus-potassium ion-dependent adenosine triphosphatase system of membranes of (Wheeler, K. P.) 729–738

Microsomal fraction, liver, rat, selectivity and stoicheiometry of the binding sites of membranes of, for polyribosomes, ribosomes and ribosomal subunits *in vitro* (Shires, T. K., McLaughlin, C. M. & Pitot, H. C.) 513–526

Microsomal fractions, liver, rat, dependence on vitamin E and selenium of the demethylation of drugs by (Giasuddin, A. S. M., Caygill, C. P. J., Diplock, A. T. & Jeffery, E. H.) 339–350

Milk, cow, changes in the concentrations and compositions of lipids in, liver and serum during starvation-induced ketosis (Brumby, P. E., Anderson, M., Tuckley, B., Storry, J. E. & Hibbitt, K. G.) 609–615

Milk proteins, properties of the messenger ribonucleic acids coding for, and of other ribonucleic acids of guinea-pig mammary gland (Ashby, P. & Campbell, P. N.) 575–583

Mitochondria, *Candida utilis* N.C.Y.C. 193, electron-paramagnetic-resonance-spectroscopic studies of iron–sulphur centres of submitochondrial particles from, of cells grown in iron-deficient and sulphate-deficient media (Gray, T. A., Garland, P. B., Lowe, D. J. & Bray, R. C.) 239–246

Mitochondria, flight-muscle, blowfly, isolated, activity of a calcium-ion-transport system in, during post-emergent development (Bygrave, F. L., Daday, A. A. & Doy, F. A.) 601–608

Mitochondria, flight-muscle, blowfly, isolated, concentrations of oxidized and reduced nicotinamide–adenine dinucleotide, adenosine triphosphate and adenosine diphosphate, energy status during controlled respiration and the control of tricarboxylic acid-cycle oxidations in (Hansford, R. G.) 537–547
Mitochondria, flight-muscle, blowfly, isolated, steady-state concentrations of citrate, isocitrate, 2-oxoglutarate and malate and the control of tricarboxylic acid-cycle oxidation in (Johnson, R. N. & Hansford, R. G.) 527–535
Mitochondria, liver, rat, decrease in the uptake of substrates by, caused by trialkyltin and trialkyl-lead compounds and its relevance to the inhibition of oxidative phosphorylation (Skilleter, D. N.) 465–471
Mitochondria, liver, rat, kinetic study of the transport of sulphate in (Crompton, M., Palmieri, F., Capano, M. & Quagliariello, E.) 667–673
Mitochondria, *Saccharomyces cerevisiae* N.C.Y.C. 239, effect of temperature on the energies of activation of the respiratory enzymes of membranes of (Watson, K., Bertoli, E. & Griffiths, D. E.) 401–407
Mitochondria, *Saccharomyces cerevisiae*, relationship between degree of unsaturation of membrane lipids and function of (Watson, K., Houghton, R. L., Bertoli, E. & Griffiths, D. E.) 409–416
Mitochondria, Walker 256 carcinosarcoma, rat, electrophoretic and centrifugation behaviour of ribonucleic acids from (González-Cadavid, N. F. & Pérez, J. L.) 361–373
Mitogens, relationship between enhanced turnover of phosphatidylinositol and activation of pig lymphocytes by (Maino, V. C., Hayman, M. J. & Crumpton, M. J.) 247–252
Monkey (*Macaca radiata*), studies on a wide-spectrum uptake system for dipeptides in the small intestine of human and (Das, M. & Radhakrishnan, A. N.) 133–139
Muscle, flight, blowfly, activity of a calcium-ion-transport system in mitochondria isolated from, during post-emergent development (Bygrave, F. L., Daday, A. A. & Doy, F. A.) 601–608
Muscle, flight, blowfly, concentrations of oxidized and reduced nicotinamide–adenine dinucleotide, adenosine triphosphate and adenosine diphosphate, mitochondrial energy status during controlled respiration and the control of tricarboxylic acid-cycle oxidations in, and isolated mitochondria (Hansford, R. G.) 537–547
Muscle, flight, blowfly, steady-state concentrations of citrate, isocitrate, 2-oxoglutarate and malate and the control of tricarboxylic acid-cycle oxidations in, and isolated mitochondria (Johnson, R. N. & Hansford, R. G.) 527–535
Muscle, skeletal, chick-embryo, transfer of serine from chromatographically distinguishable species of seryl-transfer ribonucleic acid from, into polypeptides and myosin (Nwagwu, M.) 395–400
Muscle, skeletal, rat, perfused, interaction of insulin and isometric exercise on the uptake of glucose by (Berger, M., Hagg, S. & Ruderman, N. B.) 231–238
Myosin, transfer of serine from chromatographically distinguishable species of chick-embryo skeletal-muscle seryl-transfer ribonucleic acid into polypeptides and (Nwagwu, M.) 395–400
Nicotinamide–adenine dinucleotide, oxidized and reduced, concentrations of adenosine triphosphate, adenosine diphosphate and, mitochondrial energy status during controlled respiration and the control of tricarboxylic acid-cycle oxidations in blowfly flight muscle and isolated mitochondria (Hansford, R. G.) 537–547
Nicotinamide–adenine dinucleotide phosphate, oxidized, opposing effects of preincubated 4-dimethylamino-3′-methylazobenzene and, on the incorporation of L-leucine into protein by rat liver postmitochondrial supernatant fraction (Madsen, N. P. & Labuc, J. E.) 505–507
Nocardia sp., metabolic pathways for the degradation of pyridine by a *Bacillus* sp. and, isolated from soil (Watson, G. K. & Cain, R. B.) 157–172
Nuclear ribonucleic acid, *see* Ribonucleic acid, nuclear
Nuclei, liver, rat, effect of spermine on the transcription of chromatin from, by deoxyribonucleic acid-dependent ribonucleic acid polymerase (Moruzzi, G., Barbiroli, B., Moruzzi, M. S. & Tadolini, B.) 697–703
Nuclei, liver, rat, modification of the template capacity of chromatin from, for ribonucleic acid polymerase form B by food intake in animals under controlled feeding schedules (Barbiroli, B., Tadolini, B., Moruzzi, M. S. & Monti, M. G.) 687–696
Nuclei, uterus, rat, immature, dynamics of the distribution of oestrogen receptors between, and cytosol after the administration of oestradiol-17β (Mešter, J. & Baulieu, E. E.) 617–623
Nucleoside phosphorylase, significance of the final cell division in the changes in the activities of, and other enzymes during the differentiation of rabbit erythrocytes (Denton, M. J., Spencer, N. & Arnstein, H. R. V.) 205–211
5′-Nucleotidase, micro method for the simultaneous determination of the activities of galactosyltransferase and, in cell fractions (Freilich, L. S., Richmond, M. E., Reppucci, A. C., Jr. & Silbert, J. E.) 741–743
5′-Nucleotidase, plasma-membrane, fat-cell, epididymal, rat, properties and extracellular location of (Newby, A. C., Luzio, J. P. & Hales, C. N.) 625–633
Nucleotides, cyclic, evidence against an involvement of, in the induction by cytokinins of the biosynthesis of betacyanin in *Amaranthus* sp. seedlings (Elliott, D. C. & Murray, A. W.) 333–337

Oestradiol-17β, dynamics of the distribution of oestrogen receptors between the nuclear and cytosol fractions of immature rat uterus after the administration of (Mešter, J. & Baulieu, E. E.) 617–623
Oestrogen receptors, dynamics of the distribution of, between the nuclear and cytosol fractions of immature rat uterus after the administration of oestradiol-17β (Mešter, J. & Baulieu, E. E.) 617–623
Oleate, binding of L-tryptophan to ox, human and rat serum albumins in the presence of, and other non-esterified fatty acids (Cunningham, V. J., Hay, L. & Stoner, H. B.) 653–658
Orotate, effects of γ-irradiation on the incorporation of, into different types of ribonucleic acid in normal and regenerating rat liver (Markov, G. G., Dessev, G. N., Russev, G. C. & Tsanev, R. G.) 41–51

Orotate, increased incorporation of, into low-molecular-weight nuclear ribonucleic acids of rat liver after exposure of the animals to γ-radiation and partial hepatectomy (Fónagy, A. & Hidvégi, E. J.) 357–360
Oxidative phosphorylation, *see* Phosphorylation, oxidative
2-Oxoglutarate, steady-state concentrations of citrate, isocitrate, malate and, and the control of tricarboxylic acid-cycle oxidations in blowfly flight muscle and isolated mitochondria (Johnson, R. N. & Hansford, R. G.) 527–535
Oxygen, 100%, inhibition of the activity of 15-hydroxyprostaglandin dehydrogenase in guinea-pig lung by exposure of the animals to, at atmospheric pressure (Parkes, D. G. & Eling, T. E.) 549–556
Oxygen, production of hydrogen peroxide by perfused rat liver in the presence of high and of low concentrations of (Oshino, N., Jamieson, D. & Chance, B.) 53–65

Palmitate, binding of L-tryptophan to ox, human and rat serum albumins in the presence of, and other non-esterified fatty acids (Cunningham, V. J., Hay, L. & Stoner, H. B.) 653–658
Pancreas, ox, glycosylation of ribonuclease A from, by extracts of rabbit liver (Khalkhali, Z. & Marshall, R. D.) 299–307
Parotid gland, rat, characterization of a mannosyl-carrier lipid of ox adrenal-gland medulla and (White, D. A. & Waechter, C. J.) 645–651
Pea (*Pisum sativum*) leaves, biosynthesis of proteins *in vitro* in etioplasts and developing chloroplasts isolated from (Siddell, S. G. & Ellis, R. J.) 675–685
Penicillinase, *see* β-Lactamase
Peptidoglycan, soluble, inhibition of cross-linking by benzylpenicillin and cephaloridine *in vivo* accompanied by the formation of, in *Bacillus licheniformis* 94 (Tynecka, Z. & Ward, J. B.) 253–267
Persea americana, see Avocado
Phenobarbital, induction by, of the activities of glutathione *S*-transferases in liver of male and female rats (Kaplowitz, N., Kuhlenkamp, J. & Clifton, G.) 351–356
Phenobarbitone, effect of treatment with, on the biosynthesis of protein by liver ribosomes from fed and starved rats (Ragnotti, G. & Aletti, M. G.) 1–12
Phormia regina, *see* Blowfly
Phosphatase, acid, lysosomal, liver, rat, structural equivalents of latency for the activities of, and other hydrolases (Baccino, F. M. & Zuretti, M. F.) 97–108
Phosphatase, potassium ion-dependent, membrane, kidney, rabbit, differential effects of the depletion of lipids on the activities of, and sodium-plus-potassium ion-dependent adenosine triphosphatase (Wheeler, K. P. & Walker, J. A.) 723–727
Phosphate, inorganic, stoicheiometry of the absorption of protons with L-glutamate and, by yeasts of the genus *Saccharomyces* (Cockburn, M., Earnshaw, P. & Eddy, A. A.) 705–712
Phosphate, inorganic, uptake of serine and, by mutant strains of *Escherichia coli* K12 that are deficient in electron transport and coupled phosphorylation (Rosenberg, H., Cox, G. B., Butlin, J. D. & Gutowski, S. J.) 417–423
Phosphatidylcholine, biosynthesis of, and other phospholipids in *Entodinium caudatum* (Broad, T. E. & Dawson, R. M. C.) 317–328
Phosphatidylcholine, biosynthesis of, from choline in rat liver (Sundler, R. & Åkesson, B.) 309–315
Phosphatidylethanolamine, biosynthesis of, and other phospholipids in *Entodinium caudatum* (Broad, T. E. & Dawson, R. M. C.) 317–328
Phosphatidylethanolamine, biosynthesis of, from ethanolamine in rat liver (Sundler, R. & Åkesson, B.) 309–315
Phosphatidylinositol, biosynthesis of, and other phospholipids in *Entodinium caudatum* (Broad, T. E. & Dawson, R. M. C.) 317–328
Phosphatidylinositol, relationship between enhanced turnover of, and activation of pig lymphocytes by mitogens (Maino, V. C., Hayman, M. J. & Crumpton, M. J.) 247–252
Phosphodiesterases, cyclic nucleotide, multiple activities of, and the occurrence of a calcium-plus-magnesium ion-dependent phosphodiesterase and its protein activator in various rat tissues (Kakiuchi, S., Yamazaki, R., Teshima, Y., Uenishi, K. & Miyamoto, E.) 109–120
Phosphoenolpyruvate carboxykinase, activities and intracellular distribution of, and other enzymes involved in gluconeogenesis in rat, guinea-pig and rabbit tissues (Saggerson, E. D. & Evans, C. J.) 329–332
Phosphoenolpyruvate carboxykinase (guanosine triphosphate), properties of, biosynthesized in Reuber H35 hepatoma cells in the presence of amino acid analogues (Knowles, S. E., Gunn, J. M., Reshef, L., Hanson, R. W. & Ballard, F. J.) 585–593
6-Phosphogluconate dehydrogenase, significance of the final cell division in the changes in the activities of, and other enzymes during the differentiation of rabbit erythrocytes (Denton, M. J., Spencer, N. & Arnstein, H. R. V.) 205–211
Phospholipids, biosynthesis of, in *Entodinium caudatum* (Broad, T. E. & Dawson, R. M. C.) 317–328
Phospholipids, biosynthesis of, in rat liver (Sundler, R. & Åkesson, B.) 309–315
Phospholipids, differential effects of the depletion of, on the activities of rabbit kidney membrane sodium-plus-potassium ion-dependent adenosine triphosphatase and potassium ion-dependent phosphatase (Wheeler, K. P. & Walker, J. A.) 723–727
Phospholipids, requirement for, of the rabbit kidney membrane sodium-plus-potassium ion-dependent adenosine triphosphatase system (Wheeler, K. P., Walker, J. A. & Barker, D. M.) 713–722
Phospholipids, role of, in the intermediate steps of the reaction catalysed by the rabbit kidney membrane sodium-plus-potassium ion-dependent adenosine triphosphatase system (Wheeler, K. P.) 729–738
Phosphorylation, coupled, transport of metabolites in mutant strains of *Escherichia coli* K12 that are deficient in electron transport and (Rosenberg. H., Cox, G. B., Butlin, J. D. & Gutowski, S. J.) 417–423
Phosphorylation, oxidative, decrease in the uptake of substrates by rat liver mitochondria caused by trialkyltin and trialkyl-lead compounds and its relevance to the inhibition of (Skilleter, D. N.) 465–471

Phytohaemagglutinin, relationship between enhanced turnover of phosphatidylinositol and activation of pig lymphocytes by, and other mitogens (Maino, V. C., Hayman, M. J. & Crumpton, M. J.) 247–252
Pisum sativum, *see* Pea
Plasma membrane, *see* Membrane, plasma
Plasma proteins, *see* Proteins, plasma
Plasma, rat, effects of diet, lipolytic agents and limb ischaemia on the distribution of L-tryptophan in, and the body generally (Stoner, H. B., Cunningham, V. J., Elson, P. M. & Hunt, A.) 659–666
Plasma, rat, hepatic clearance of adenosine 3′:5′-cyclic monophosphate from (Strange, R. C. & Percy-Robb, I. W.) 509–512
Plastids, avocado-mesocarp, fractionation of the fatty acid synthetase activities of (Weaire, P. J. & Kekwick, R. G. O.) 439–445
Polyamines, effects of, on the transcription of rat liver chromatin by deoxyribonucleic acid-dependent ribonucleic acid polymerase (Moruzzi, G., Barbiroli, B., Moruzzi, M. S. & Tadolini, B.) 697–703
Polycyclic hydrocarbons, *see* Hydrocarbons, polycyclic
Polypeptide chains, inhibition by ricin of the binding of elongation factor 2 and of adenosine diphosphate ribosylated elongation factor 2 to rat liver ribosomes and its effect on the elongation of, during the biosynthesis of protein (Montanaro, L., Sperti, S., Mattioli, A., Testoni, G. & Stirpe, F.) 127–131
Polypeptides, transfer of serine from chromatographically distinguishable species of chick-embryo skeletal-muscle seryl-transfer ribonucleic acid into myosin and (Nwagwu, M.) 395–400
Polyribosomes, liver, rat, effect of treatment with phenobarbitone on the biosynthesis of protein by, from fed and starved animals (Ragnotti, G. & Aletti, M. G.) 1–12
Polyribosomes, liver, rat, lack of influence of the endoplasmic-reticulum membranes on the capacity of, for the biosynthesis of protein (Ragnotti, G., Aletti, M. G. & Cipollini, T. L.) 13–15
Polyribosomes, mammary-gland, guinea-pig, properties of the ribonucleic acids of, and ribosomal subunits (Ashby, P. & Campbell, P. N.) 575–583
Polyribosomes, selectivity and stoicheiometry of the binding sites of rat liver microsomal membranes for ribosomes, ribosomal subunits and, *in vitro* (Shires, T. K., McLaughlin, C. M. & Pitot, H. C.) 513–526
Polysomes, *see* Polyribosomes
Porphyrin, evidence for two basically different mechanisms in the stimulation by griseofulvin, 3,5-diethoxycarbonyl-1,4-dihydrocollidine and related drugs of the pathway for the biosynthesis of, in rat and mouse liver (De Matteis, F. & Gibbs, A. H.) 285–287
Pregnancy, late, aerobic production of lactate by rat mammary-gland tissue during, and lactation (Elkin, A. R. & Kuhn, N. J.) 273–275
Proalbumin, isolation and probable structure of, from rat liver as a precursor of serum albumin (Quinn, P. S., Gamble, M. & Judah, J. D.) 389–393
Prostaglandin $F_{2\alpha}$, inhibition of the metabolism of, in guinea-pig lung by exposure of the animals to 100% oxygen at atmospheric pressure (Parkes, D. G. & Eling, T. E.) 549–556
Protease, *see* Proteinase
Protein, effect of treatment with phenobarbitone on the biosynthesis of, by liver ribosomes from fed and starved rats (Ragnotti, G. & Aletti, M. G.) 1–12
Protein, inhibition by ricin of the binding of elongation factor 2 and of adenosine diphosphate ribosylated elongation factor 2 to rat liver ribosomes and its effect on the biosynthesis of (Montanaro, L., Sperti, S., Mattioli, A., Testoni, G. & Stirpe, F.) 127–131
Protein, lack of influence of the endoplasmic-reticulum membranes on the capacity of polyribosomes for the biosynthesis of (Ragnotti, G., Aletti, M. G. & Cipollini, T. L.) 13–15
Protein, opposing effects of preincubated oxidized nicotinamide–adenine dinucleotide phosphate and 4-dimethylamino-3′-methylazobenzene on the incorporation of L-leucine into, by rat liver postmitochondrial supernatant fraction (Madsen, N. P. & Labuc, J. E.) 505–507
Protein, separation from guinea-pig Kurloff cells of a proteoglycan fraction stimulating the biosynthesis of, in peritoneal macrophages (Dean, M. F. & Muir, H.) 557–563
Proteinase, chromatin-bound, lack of relationship between the activity of, and cell growth rates in rat liver and hepatomas (Chae, C.-B., Smith, M. C. & Morris, H. P.) 281–283
Protein–polysaccharide, *see* Proteoglycan
Proteins, aberrant, increased rates of degradation of, biosynthesized in Reuber H35 hepatoma cells in the presence of amino acid analogues (Knowles, S. E., Gunn, J. M., Hanson, R. W. & Ballard, F. J.) 595–600
Proteins, biosynthesis of, *in vitro* in etioplasts and developing chloroplasts isolated from pea leaves (Siddell, S. G. & Ellis, R. J.) 675–685
Proteins, characterization of glycoproteins and, of subfractions of plasma membranes from the blood-sinusoidal, bile-canalicular and contiguous surfaces of rat hepatocytes (Wisher, M. H. & Evans, W. H.) 375–388
Proteins, milk, properties of the messenger ribonucleic acids coding for, and of other ribonucleic acids of guinea-pig mammary gland (Ashby, P. & Campbell, P. N.) 575–583
Proteins, plasma, rat, biosynthesis of albumin, fibrinogen and transferrin in suspensions of isolated rat hepatocytes as a model for the study of the biosynthesis of (Jeejeebhoy, K. N., Ho, J., Greenberg, G. R., Phillips, M. J., Bruce-Robertson, A. & Sodtke, U.) 141–155
Proteoglycan, separation from guinea-pig Kurloff cells of, stimulating the biosynthesis of protein in peritoneal macrophages (Dean, M. F. & Muir, H.) 557–563
Protochlorophyllide, studies on the biosynthesis of, by isolated barley-seedling etioplasts (Griffiths, W. T.) 17–24
Protons, stoicheiometry of the absorption of, with phosphate and L-glutamate by yeasts of the genus *Saccharomyces* (Cockburn, M., Earnshaw, P. & Eddy, A. A.) 705–712
Pseudomonas AM1, properties of cytochrome *c* and other cytochromes of (Anthony, C.) 289–298
Pseudomonas putida, purification and properties of a soluble enzyme system catalysing the oxidation of benzene to *cis*-1,2-dihydroxycyclohexa-3,5-diene (*cis*-benzene glycol) from a strain of, isolated from soil (Axcell, B. C. & Geary, P. J.) 173–183

Purine nucleotides, formation of, and other products during the metabolism of xanthine and hypoxanthine by excised tea shoot tips (Suzuki, T. & Takahashi, E.) 79–85

Pyridine, metabolic pathways for the degradation of, by a *Bacillus* sp. and a *Nocardia* sp. isolated from soil (Watson, G. K. & Cain, R. B.) 157–172

Pyruvate carboxylase, activities and intracellular distribution of, and other enzymes involved in gluconeogenesis in rat, guinea-pig and rabbit tissues (Saggerson, E. D. & Evans, C. J.) 329–332

Pyruvate, decrease in the uptake of, and other substrates by rat liver mitochondria caused by tralkytin and trialkyl-lead compounds and its relevance to the inhibition of oxidative phosphorylation (Skilleter, D. N.) 465–471

[U-^{14}C]Pyruvate, incorporation of ^{14}C from [U-^{14}C]-glutamate, [^{14}C]bicarbonate and, into glycogen in guinea-pig brain slices (Phillips, M. E. & Coxon, R. V.) 185–189

γ-Radiation, effects of, on the biosynthesis of different types of ribonucleic acid in normal and regenerating rat liver (Markov, G. G., Dessev, G. N., Russev, G. C. & Tsanev, R. G.) 41–51

γ-Radiation, increased biosynthesis of low-molecular-weight nuclear ribonucleic acids of rat liver after exposure of the animals to, and partial hepatectomy (Fónagy, A. & Hidvégi, E. J.) 357–360

Red blood cells, *see* Erythrocytes

Respiratory enzymes, membrane, mitochondrial, *Saccharomyces cerevisiae* N.C.Y.C. 239, effect of temperature on the energies of activation of (Watson, K., Bertoli, E. & Griffiths, D. E.) 401–407

Respiratory function, relationship between degree of unsaturation of membrane lipids and, of *Saccharomyces cerevisiae* (Watson, K., Houghton, R. L., Bertoli, E. & Griffiths, D. E.) 409–416

Reticulum, endoplasmic, liver, rat, lack of influence of the membranes of, on the capacity of the polyribosomes for the biosynthesis of protein (Ragnotti, G., Aletti, M. G. & Cipollini, T. L.) 13–15

Reticulum, endoplasmic, liver, rat, selectivity and stoicheiometry of the binding sites of membranes of, for polyribosomes, ribosomes and ribosomal subunits *in vitro* (Shires, T. K., McLaughlin, C. M. & Pitot, H. C.) 513–526

Retinoic acid, effects of depletion of vitamin A followed by supplementation with retinyl acetate or, on the regeneration of rat liver after partial hepatectomy (Jayaram, M., Sarada, K. & Ganguly, J.) 501–504

Retinyl acetate, effects of depletion of vitamin A followed by supplementation with retinoic acid or, on the regeneration of rat liver after partial hepatectomy (Jayaram, M., Sarada, K. & Ganguly, J.) 501–504

Reuber H35 hepatoma cells, increased rates of degradation of aberrant proteins biosynthesized in, in the presence of amino acid analogues (Knowles, S. E., Gunn, J. M., Hanson, R. W. & Ballard, F. J.) 595–600

Reuber H35 hepatoma cells, properties phosphoenolpyruvate carboxykinase (guanosine triphosphate) biosynthesized in, in the presence of amino acid analogues (Knowles, S. E., Gunn, J. M., Reshef, L., Hanson, R. W. & Ballard, F. J.) 585–593

Ribonuclease A, pancreatic, ox, glycosylation of, by extracts of rabbit liver (Khalkhali, Z. & Marshall, R. D.) 299–307

Ribonucleic acid, effects of γ-irradiation on the biosynthesis of different types of, in normal and regenerating rat liver (Markov, G. G., Dessev, G. N., Russev, G. C. & Tsanev, R. G.) 41–51

Ribonucleic acid, messenger, effects of γ-irradiation on the biosynthesis of, and other types of ribonucleic acid in normal and regenerating rat liver (Markov, G. G., Dessev, G. N., Russev, G. C. & Tsanev, R. G.) 41–51

Ribonucleic acid, nuclear, heterogeneous, effects of γ-irradiation on the biosynthesis of, and other types of ribonucleic acid in normal and regenerating rat liver (Markov, G. G., Dessev, G. N., Russev, G. C. & Tsanev, R. G.) 41–51

Ribonucleic acid polymerase, deoxyribonucleic acid-dependent, effect of spermine on the transcription of rat liver chromatin by (Moruzzi, G., Barbiroli, B., Moruzzi, M. S. & Tadolini, B.) 697–703

Ribonucleic acid polymerase form B, modification of the template activity of rat liver chromatin for, by food intake in animals under controlled feeding schedules (Barbiroli, B., Tadolini, B., Moruzzi, M. S. & Monti, M. G.) 687–696

Ribonucleic acid, ribosomal, effects of γ-irradiation on the biosynthesis of, and other types of ribonucleic acid in normal and regenerating rat liver (Markov, G. G., Dessev, G. N., Russev, G. C. & Tsanev, R. G.) 41–51

Ribonucleic acid, transfer, seryl-, skeletal-muscle, chick-embryo, transfer of serine from chromatographically distinguishable species of, into polypeptides and myosin (Nwagwu, M.) 395–400

Ribonucleic acids, mammary-gland, guinea-pig, properties of (Ashby, P. & Campbell, P. N.) 575–583

Ribonucleic acids, messenger, mammary-gland, guinea-pig, properties of, coding for milk proteins and of other ribonucleic acids in the gland (Ashby, P. & Campbell, P. N.) 575–583

Ribonucleic acids, mitochondrial, Walker 256 carcinosarcoma, rat, electrophoretic and centrifugation behaviour of (González-Cadavid, N. F. & Pérez, J. L.) 361–373

Ribonucleic acids, nuclear, low-molecular-weight, liver, rat, increased biosynthesis of, after exposure of the animals to γ-radiation and partial hepatectomy (Fónagy, A. & Hidvégi, E. J.) 357–360

Ribosomal ribonucleic acid, *see* Ribonucleic acid, ribosomal

Ribosomal subunits, mammary-gland, guinea-pig, properties of the ribonucleic acids of, and polyribosomes (Ashby, P. & Campbell, P. N.) 575–583

Ribosomal subunits, selectivity and stoicheiometry of the binding sites of rat liver microsomal membranes for polyribosomes, ribosomes and, *in vitro* (Shires, T. K., McLaughlin, C. M. & Pitot, H. C.) 513–526

Ribosomes, liver, rat, inhibition by ricin of the binding of elongation factor 2 and of adenosine diphosphate ribosylated elongation factor to (Montanaro, L., Sperti, S., Mattioli, A., Testoni, G. & Stirpe, F.) 127–131

Ribosomes, selectivity and stoicheiometry of the binding sites of rat liver microsomal membranes for polyribosomes, ribosomal subunits and, *in vitro* (Shires, T. K., McLaughlin, C. M. & Pitot, H. C.) 513–526

Ricin, inhibition by, of the binding of elongation factor 2 and of adenosine diphosphate ribosylated elongation factor 2 to rat liver ribosomes (Montanaro, L., Sperti, S., Mattioli, A., Testoni, G. & Stirpe, F.) 127–131
Rumen, biosynthesis of phospholipids in *Entodinium caudatum* isolated from (Broad, T. E. & Dawson, R. M. C.) 317–328

Saccharomyces cerevisiae N.C.Y.C. 239, effect of temperature on the energies of activation of the respiratory enzymes of mitochondrial membranes of (Watson, K., Bertoli, E. & Griffiths, D. E.) 401–407
Saccharomyces cerevisiae, relationship between degree of unsaturation of membrane lipids and mitochondrial function in (Watson, K., Houghton, R. L., Bertoli, E. & Griffiths, D. E.) 409–416
Saccharomyces spp., stoicheiometry of the absorption of protons with phosphate and L-glutamate by (Cockburn, M., Earnshaw, P. & Eddy, A. A.) 705–712
Salivary gland, parotid, rat, characterization of a mannosyl-carrier lipid of ox adrenal-gland medulla and (White, D. A. & Waechter, C. J.) 645–651
Salivary gland, submaxillary, rat, metabolic interactions of glucose, acetoacetate and adrenaline in, *in vitro* (Thompson, M. P. & Williamson, D. H.) 635–644
Seedlings, *Amaranthus* sp., evidence against an involvement of cyclic nucleotides in the induction by cytokinins of the biosynthesis of betacyanin by (Elliott, D. C. & Murray, A. W.) 333–337
Seedlings, barley, studies on the biosynthesis of chlorophyllide by etioplasts isolated from (Griffiths, W. T.) 17–24
Selenium, dependence on vitamin E and, of the demethylation of drugs by rat liver microsomal fractions (Giasuddin, A. S. M., Caygill, C. P. J., Diplock, A. T. & Jeffery, E. H.) 339–350
Serine, transfer of, from chromatographically distinguishable species of chick-embryo skeletal-muscle seryl-transfer ribonucleic acid into polypeptides and myosin (Nwagwu, M.) 395–400
Serine, uptake of inorganic phosphate and, by mutant strains of *Escherichia coli* K12 that are deficient in electron transport and coupled phosphorylation (Rosenberg, H., Cox, G. B., Butlin, J. D. & Gutowski, S. J.) 417–423
Serum albumin, *see* Albumin, serum
Serum, cow, changes in the concentrations and compositions of lipids in, liver and milk during starvation-induced ketosis (Brumby, P. E., Anderson, M., Tuckley, B., Storry, J. E. & Hibbitt, K. G.) 609–615
Serum lipoporteins, *see* Lipoproteins, serum
Seryl-transfer ribonucleic acid, skeletal-muscle, chick-embryo, transfer of serine from chromatographically distinguishable species of, into polypeptides and myosin (Nwagwu, M.) 395–400
Shoot tips, tea, excised, metabolism of xanthine and hypoxanthine in (Suzuki, T. & Takahashi, E.) 79–85
Siderochromes, identification and biosynthesis of, formed by *Micrococcus denitrificans* N.C.I.B. 8944 (Tait, G. H.) 191–204
Skeletal muscle, *see* Muscle, skeletal
Small intestine, *see* Intestine, small
Soil, metabolic pathways for the degradation of pyridine by a *Bacillus* sp. and a *Nocardia* sp. isolated from (Watson, G. K. & Cain, R. B.) 157–172
Soil, purification and properties of a soluble enzyme system catalysing the oxidation of benzene to *cis*-1,2-dihydroxycyclohexa-3,5-diene (*cis*-benzene glycol) from a strain of *Pseudomonas putida* isolated from (Axcell, B. C. & Geary, P. J.) 173–183
Solaster papposus, *see* Starfish
Spermidine, identification of, as a constituent of siderochromes formed by *Micrococcus denitrificans* N.C.I.B. 8944 (Tait, G. H.) 191–204
Spermine, effect of, on the transcription of rat liver chromatin by deoxyribonucleic acid-dependent ribonucleic acid polymerase (Moruzzi, G., Barbiroli, B., Moruzzi, M. S. & Tadolini, B.) 697–703
Spleen cells, mouse, activity of thymidine kinase of, *in vivo* and *in vitro* (Olsen, I. & Harris, G.) 489–496
Squalene, biosynthesis of, and sterols in the starfish *Asterias rubens* (Smith, A. G. & Goad, L. J.) 25–33
Starfish (*Asterias rubens* and *Solaster papposus*), conversion of cholest-5-en-3β-ol into 5α-cholest-7-en-3β-ol in (Smith, A. G. & Goad, L. J.) 35–40
Starfish (*Asterias rubens*), biosynthesis of sterols in (Smith, A. G. & Goad, L. J.) 25–33
Starvation, effects of treatment with phenobarbitone and, on the biosynthesis of protein by rat liver polyribosomes (Ragnotti, G. & Aletti, M. G.) 1–12
Starvation, metabolism of lipids in the cow during ketosis induced by (Brumby, P. E., Anderson, M., Tuckley, B., Storry, J. E. & Hibbitt, K. G.) 609–615
Sterols, biosynthesis of, in the starfish *Asterias rubens* (Smith, A. G. & Goad, L. J.) 25–33
Streptozotocin-diabetes, *see* Diabetes, streptozotocin-
Submaxillary gland, rat, metabolic interactions of glucose, acetoacetate and adrenaline in, *in vitro* (Thompson, M. P. & Williamson, D. H.) 635–644
Submitochondrial particles, *Candida utilis* N.C.Y.C. 193, electron-paramagnetic-resonance-spectroscopic studies of iron–sulphur centres of, of cells grown in iron-deficient and sulphate-deficient media (Gray, T. A., Garland, P. B., Lowe, D. J. & Bray, R. C.) 239–246
Succinate oxidase, membrane, mitochondrial, *Saccharomyces cerevisiae* N.C.Y.C. 239, effect of temperature on the energies of activation of, and other respiratory enzymes (Watson, K., Bertoli, E. & Griffiths, D. E.) 401–407
Succinate semialdehyde, identification of, as an intermediate during the degradation of pyridine by a *Bacillus* sp. isolated from soil (Watson, G. K. & Cain, R. B.) 157–172
Sulphate, electron-paramagnetic-resonance-spectroscopic studies of iron–sulphur centres of submitochondrial particles from *Candida utilis* N.C.Y.C. 193 grown in media deficient in (Gray, T. A., Garland, P. B., Lowe, D. J. & Bray, R. C.) 239–246
Sulphate, inorganic, kinetic study of the transport of, in rat liver mitochondria (Crompton, M., Palmieri, F., Capano, M. & Quagliariello, E.) 667–673
Supernatant fraction, *see* Cytosol

Tea (*Thea sinensis*) leaves, enzymic formation of theobromine and caffeine from 7-methylxanthine by extracts from (Suzuki, T. & Takahashi, E.) 87–96

Tea (*Thea sinensis*) shoot tips, excised, metabolism of xanthine and hypoxanthine in (Suzuki, T. & Takahashi, E.) 79–85

Temperature, effect of, on the energies of activation of respiratory enzymes of *Saccharomyces cerevisiae* N.C.Y.C. 239 mitochondrial membranes (Watson, K., Bertoli, E. & Griffiths, D. E.) 401–407

Tendon cells, chick-embryo, comparison of the properties of plasma membranes from experimentally induced rat granulation tissue and (Lehtinen, P., Vuorio, E. & Kulonen, E.) 565–575

Thea sinensis, *see* Tea

Theobromine, enzymic formation of, and caffeine from 7-methylxanthine by extracts of tea leaves (Suzuki, T. & Takahashi, E.) 87–96

Thiamin, metabolic changes during the development of a deficiency of, in the rat (Liang, C. C.) 739–740

L-Threonine, identification of, as a constituent of a siderochrome formed by *Micrococcus denitrificans* N.C.I.B. 8944 (Tait, G. H.) 191–204

Thymidine kinase, activity of, of mouse spleen cells *in vivo* and *in vitro* (Olsen, I. & Harris, G.) 489–496

Thyroid gland, human, relationship between the mobility of lipids and the specific binding of thyrotrophin by membranes from (Bashford, C. L., Harrison, S. J., Radda, G. K. & Mehdi, Q.) 473–479

Thyrotrophin, relationship between the mobility of lipids and the specific binding of, by human thyroid-gland membranes (Bashford, C. L., Harrison, S. J., Radda, G. K. & Mehdi, Q.) 473–479

α-Tocopherol, dependence on selenium and, of the demethylation of drugs by rat liver microsomal fractions (Giasuddin, A. S. M., Caygill, C. P. J., Diplock, A. T. & Jeffery, E. H.) 339–350

Transcription, effect of spermine on, of rat liver chromatin by deoxyribonucleic acid-dependent ribonucleic acid polymerase (Moruzzi, G., Barbiroli, B., Moruzzi, M. S. & Tadolini, B.) 697–703

Transcription, modification of the capacity for, of rat liver chromatin by ribonucleic acid polymerase form B by food intake in animals under controlled feeding schedules (Barbiroli, B., Tadolini, B., Moruzzi, M. S. & Monti, M. G.) 687–696

Transfer ribonucleic acid, *see* Ribonucleic acid, transfer

Transferrin, biosynthesis of albumin, fibrinogen and, in suspensions of isolated rat hepatocytes as a model for the study of the biosynthesis of plasma proteins (Jeejeebhoy, K. N., Ho, J., Greenberg, G. R., Phillips, M. J., Bruce-Robertson, A. & Sodtke, U.) 141–155

Trialkyl-lead compounds, decrease in the uptake of substrates by rat liver mitochondria caused by trialkyltin compounds and, and its relevance to the inhibition of oxidative phosphorylation (Skilleter, D. N.) 465–471

Trialkyltin compounds, decrease in the uptake of substrates by rat liver mitochondria caused by trialkyl-lead compounds and, and its relevance to the inhibition of oxidative phosphorylation (Skilleter, D. N.) 465–471

Tricarboxylic acid cycle, concentrations of oxidized and reduced nicotinamide–adenine dinucleotide, adenosine triphosphate and adenosine diphosphate, mitochondrial energy status during controlled respiration and the control of the oxidation reactions of, in blowfly flight muscle and isolated mitochondria (Hansford, R. G.) 537–547

Tricarboxylic acid cycle, steady-state concentrations of citrate, isocitrate, 2-oxo-glutarate and malate and the control of the oxidation reactions of, in blowfly flight muscle and isolated mitochondria (Johnson, R. N. & Hansford, R. G.) 527–535

Triethyltin, decrease in the uptake of substrates by rat liver mitochondria caused by, and its relevance to the inhibition of oxidative phosphorylation (Skilleter, D. N.) 465–471

L-Tryptophan, binding of, to ox, human and rat serum albumins in the presence of non-esterified fatty acids (Cunningham, V. J., Hay, L. & Stoner, H. B.) 653–658

L-Tryptophan, effects of diet, lipolytic agents and limb ischaemia on the distribution of, in the plasma and the body generally in the rat (Stoner, H. B., Cunningham, V. J., Elson, P. M. & Hunt, A.) 659–666

Tumour, Walker 256, rat, electrophoretic and centrifugation behaviour of mitochondrial ribonucleic acids from (González-Cadavid, N. F. & Pérez, J. L.) 361–373

Urea, effects of L-leucine on the biosynthesis of glutamate, glutamine and, by isolated rat liver cells (Mendes-Mourão, J., McGivan, J. D. & Chappell, J. B.) 457–464

Urea, formation of, and other products during the metabolism of xanthine and hypoxanthine by exicised tea shoot tips (Suzuki, T. & Takahashi, E.) 79–85

Uridine diphosphate *N*-acetylglucosamine, transfer of *N*-acetylglucosamine from, to ox pancreatic ribonuclease A catalysed by extracts of rabbit liver (Khalkhali, Z. & Marshall, R. D.) 299–307

Uterus, rat, immature, dynamics of the distribution of oestrogen receptors between the nuclear and cytosol fractions of, after the administration of oestradiol-17β (Mešter, J. & Baulieu, E. E.) 617–623

Vitamin A, effects of depletion of, followed by supplementation with retinyl acetate or retinoic acid on the regeneration of rat liver after partial hepatectomy (Jayaram, M., Sarada, K. & Ganguly, J.) 501–504

Vitamin B_1, *see* Thiamin

Vitamin E, dependence on selenium and, of the demethylation of drugs by rat liver microsomal fractions (Giasuddin, A. S. M., Caygill, C. P. J., Diplock, A. T. & Jeffery, E. H.) 339–350

Walker 256 carcinosarcoma, rat, electrophoretic and centrifugation behaviour of mitochondrial ribonucleic acids from (González-Cadavid, N. F. & Pérez, J. L.) 361–373

Xanthine, metabolism of hypoxanthine and, in excised tea shoot tips (Suzuki, T. & Takahashi, E.) 79–85

Yeast (*Candida utilis* N.C.Y.C. 193), electron-paramagnetic-resonance-spectroscopic studies of iron–sulphur centres of submitochondrial particles from, grown in iron-deficient and sulphate-deficient media (Gray, T. A., Garland, P. B., Lowe, D. J. & Bray, R. C.) 239–246

Yeast (*Saccharomyces cerevisiae* N.C.Y.C. 239), effect of temperature on the energies of activation of the respiratory enzymes of mitochondrial membranes of (Watson, K., Bertoli, E. & Griffiths, D. E.) 401–407

Yeast (*Saccharomyces cerevisiae*), relationship between degree of unsaturation of membrane lipids and mitochondrial function in (Watson, K., Houghton, R. L., Bertoli, E. & Griffiths, D. E.) 409–416

Yeasts (*Saccharomyces* spp.), stoicheiometry of the absorption of protons with phosphate and L-glutamate by (Cockburn, M., Earnshaw, P. & Eddy, A. A.) 705–712